Free State Province





TENDER BULLETIN TENDERBULLETIN

NO. 16

19 JUNE 2015 / 19 JUNIE 2015

NO.	INDEX	PAGE
SA AUCTION GROUP	ONE AUCTION Date: 23 June 2015	2
DPWFS RFP 021/2013 DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE	AWARDED	2
DPWFS RFP 022/2013 DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE	AWARDED	2
DPWFS RFP 030/2013 DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE	AWARDED	2
DOH(FS)38/14/15 DEPARTMENT OF HEALTH	CANCELLED	3
DOH (FS) 05/14/15 DEPARTMENT OF HEALTH	AWARDED	3

FREE STATE PROVINCIAL GOVERNMENT

GOVERNMENT MOTOR TRANSPORT (BLOEMFONTEIN)

ONE AUCTION

23 June 2015 @ 11:00 - Onsite Auction (GMT / BFN)

Auction Venue: Cnr of Harvey Road & Rhodes Avenue, Oranjesig, Bloemfontein Items will include – FLEET VEHICLES

Contact person for Tender list: Mr. J Kellerman Tel.: 051 – 400 5275 Contact person technical enquiries: Mr. G Brown Tel.: 051 – 400 5219

CONDITIONS OF SALE:

<u>Auctioneer: SA AUCTION GROUP; Auctioneer: RUDI HERBST – 082 695 6658</u> <u>Bloemfontein Office: 051 445 2032/1</u>

Viewing one day prior to sale (09:00 to 14:00). Reserve prices are applicable.

Items to be sold can be added or withdrawn without prior notice.

Registration will be from 8:00 - 10:45 on the day of sale

NO registration deposit required. FICA documents, copy of ID & Proof of Residence Required.

Visit our website (ww.saauctiongroup.co.za) for listings & photos.

Successful bids will be announced on the same day at the venue.

Terms:

Documentation required for registration: Valid ID, Business Registration Number

and Traffic Registration Number: Right of admission is reserved.

Successful buyers must remove items within 3 working days from auction date (see above) at own risk and cost.

Payment: Either bank cheque or bank guaranteed cheque (made out to the FSPG: FLEET MANAGEMENT) or EFT payment, within 3 working days after the tender date. Please note, we can only release a vehicle once the full outstanding amount is reflected in our bank account.

FREE STATE DEPARTMENT OF PUBLIC WORKS AND INFRASTRUCTURE

PUBLICATION OF AWARD

DPWFS RFP 021/2013: LEASING OF STATE OWNED PROPERTIES: BLOEMFONTEIN: UNIVERSITAS HOSPITAL (TUCK-SHOP)

DPWFS RFP 022/2013: LEASING OF STATE OWNED PROPERTIES: BLOEMFONTEIN: UNIVERSITAS HOSPITAL (HAIRSALON)

DPWFS RFP 030/2013: LEASING OF STATE OWNED PROPERTIES: WELKOM BONGANI HOSPITAL (TUCK-SHOP)

DEPARTMENT OF HEALTH FREE STATE

BIDS

SERVICES

THE FOLLOWING BID HAS BEEN CANCELLED:

1. DOH (FS) 38/14/15: Design and Construction on EMS Station Units using Container Structures at various stations in the Free State Province.

DEPARTMENT OF HEALTH

BIDS

SERVICES

The following bid has been finalized during the past month. Complete results will be furnished to bidders on a written request.

Bid: DOH (FS) 05/14/15: Supply and Delivery of Orthotics and Prosthetics Supplies for Various Institutions in the Free State Department of Health.

The Bid was adjudicated as follows:

Successful Bidder: Otto Bock South Africa (Pty) Ltd (Halfway House) B-BBEE Level of Contribution: Level 7

Pricing: See attached price list Approved: Department of Health – Date: 30 April 2015

Successful Bidder: Barford Jones Orthomed (Pty) Ltd (Johannesburg)

B-BBEE Level of Contribution: N/A Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

Successful Bidder: DJO Orthopaedic South Africa (Pty) Ltd (Soneike)

B-BBEE Level of Contribution: Level 8 Pricing: See attached price list Approved: Department of Health – Date: 30 April 2015

Successful Bidder: FS & NCP Medical Agency CC (Bloemfontein) B-BBEE Level of Constribution: Level 3 Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

Successful Bidder: Orthopaedic Suppliers CC (Florida Hills)

B-BBEE Level of Contribution: Level 5 Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

Succesful Bidder: BSN Medical (Pty) Ltd (Pinetown)

B-BBEE Level of Contribution: Level 4 Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

Successful Bidder: Gentry Health CC (Johannesburg)

B-BBEE Level of Contribution: Level 3 Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

Succesful Bidder: Prosthetic Suppliers CC (Upington)

B-BBEE Level of Contribution: Level 4 Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

Successful Bidder: Presta (Pty) Ltd (Rosslyn)

B-BBEE Level of Contribution: Level 2 Pricing: See attached price list Approved: Department of Health – Date 30 April 2015

The following items have been cancelled: **Part C: Orthotics** Items: 56, 57, 76

The following items will be re-advertised: **Part A: Sundries** Items: 32, 33, 90, 114, 115, 116, 117, 147, 149, 162, 163, 164, 165, 166, 167, 168, 169, 200, 225, and 231

Part B: Prostheses

Items: 11, 65, 81, 147, 149, 150, 151, 168 and 186

Period: Date of signing of contract for three (3) years.

Herewith the Bid Price list:

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES OTTO BOCK SOUTH AFRICA (PTY) LTD

PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
27		
	CR CONTACT ADHESIVE, Basis: Polychloroprene, Toluene free, Color is transparent, Content: 4kg	R 698.79
37	NYLON ELASTIC WEBBING 35MM WIDE (25M ROLL), Stretchable material, Sealed side edges, Durable material, Colour: Flesh	R 1 784.25
38	NYLON ELASTIC WEBBING 50MM WIDE (25M ROLL), Stretchable material, Sealed side edges, Durable material, Colour: Flesh	R 2 157.75
43	COTTON ELASTIC WEBBING 25MM x 2MM (25M LENGTH), Sealed side edges, Durable material, Colour: Golden and White	R 1 431.50
50	SPACETEX, Padding in the field of orthotics, 70% polyester, 30% polyamide, Length: 1 meter, Width: 1.400mm, Thickness: 3mm, Colour: Black	R 1 016.24
53	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 3mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures	R 474.14
54	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 4mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures	R 632.12
55		11 002.12
	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 5mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures	R 790.10
57	PADDING FOAM (SIZE: 500MM x 1000MM), LUXOFOAM, Self-adhesive, 3mm thick, Not perforated, White, Soft foam	R 454.80

PART A: SUNDRIES

TEM	DECODIDION	PRICE (VAT
NUMBER	DESCRIPTION	INCLUDED)
62	ORTHOCRYL SEALING RESIN (SIEGELHARTZ), For sealing, strengthening and adhering, Net contents: 0.9kg	R 358.11
63	ORTHOCRYL: LAMINATING RESIN 80:20, Net contents: 4.6kg	R 1 200.66
64	C-ORTHOCRYL SANITIZED, Lamination resin for carbon-fibre, Antimicrobial effect, Net content: 0.9kg	R 352.92
66	FAST CURING PUTTY, For fixing and filling a variety of materials, Good adhesive qualities, Good elasticity, Content: 1kg	R 157.68
67	HARDENING PASTE, For lightweight putty's, Net content: 28g	R 31.33
68	HARDENING POWDER, For orthocryl resin, Net content: 150g	R 76.15
69	MEASURING CUPS (CALIBRATED), Must be Transparent, Allow for a precise mixing ratio, Volume 400gr	R 2.79
70	MEASURING CUPS (CALIBRATED), Must be Transparent, Allow for a precise mixing ratio, Volume 200gr	R 1.76
73	SILICONE PARTING AGENT, For separating, gliding and greasing, Protects rubber, plastic and elastomers from becoming brittle, Compact and solvent-free, Contents: 0.41 grams	R 230.51
74	PLASTER PARTING AGENT, Isolating plaster from plaster, Isolating plaster from thermoplastic material, Net content: 1 Liter	R 337.98
76	SURFORM BLADES ROUND WITHOUT HANDLE, Length: 250mm, Weight: 0.035kg	R 85.27
79	FIBRE GLASS STOCKINETTE, Width: 12cm, Reinforcement material, High rigidity for laminations, Excellent resin absorption, Pure glass fibre stockinette, Two - way stretch	R 30.04
80		
	FIBRE GLASS STOCKINETTE, Width: 10cm, Reinforcement material, High rigidity for laminations, Excellent resin absorption, Polyester or nylon stretch stockinette, Two - way stretch	R 24.07
81	GLASS TUBING FIBRE GLASS STOCKINETTE UNSTRETCHED, Width: 15cm, Reinforcement material, High rigidity for laminations, Excellent resin absorption, Polyester or nylon stretch stockinette, Two - way stretch	R 40.38
82		
	FIBRE GLASS STOCKINETTE UNSTRETCHED, Width: 20cm, Reinforcement material, High rigidity for laminations, Excellent resin absorption, Polyester or nylon stretch stockinette, Two - way stretch	R 52.15
83		
	FIBRE GLASS STOCKINETTE UNSTRETCHED, Width: 30cm, Reinforcement material, High rigidity for laminations, Excellent resin absorption, Polyester or nylon stretch stockinette, Two - way stretch	R 78.23
84	FIBRE GLASS STOCKINETTE UNSTRETCHED, Width: 25cm, Reinforcement material, High rigidity for laminations, Excellent resin absorption, Polyester or nylon stretch stockinette, Two - way stretch	R 72.21
88	CARBON UD STOCKINETTE, For bending forces, Thin wall, Length: 5 meter, Width: 150mm	R 2 642.47
92	DACRON FELT, Good bleeding properties when laminating, Sewable, Smooth surface after laminating, Length: 5 meter, Width: 930mm, Thickness: 3mm	R 457.08
104	PVC ADHESIVE TAPE (Coroplast clear), Versatile applicability, Acrylic Adhesive material, Length: 10 meter, Width: 50mm, Base material soft PVC film, Per roll	R 59.96
108	POLYESTER KNIT FABRIC, For reinforcing soft resins and silicones, Stretchable in one direction, Length: 1 100mm, Width: 1 500mm	R 149.59
113	STANDARD PRO-SILICONE LINNER (WITH OUTER TEXTILE), For low moderate activity levels, With distal connector and 10cm distal matrix, Wall thickness: 5.5mm distal tapered to 3.5mm proximal, 10mm distal cushion pad	R 2 189.92

PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
118	TAPE DOUBLE SIDED (MIRROR TAPE), Length: 30m, Width: 25mm, Per roll	R 243.75
120	ROSETTE SCREW (NICKEL PLATED), Thread: M4, Thread length: 8mm, Head diameter: 15mm	R 31.33
121	SETTING NUT (STAINLESS STEEL), Thread: M4, Head diameter: 20mm, Length: 7.5mm, Shoulder diameter: 6mm	R 37.76
124	P.E. LITE OR SIMILAR MATERIAL, Soft lightweight padding material, Thickness: 5mm, Heat - mouldable foam, Shore:20/25, Sheet size: 1910mm x 1150mm	R 188.61
127	P.E. LITE (SIZE: 2100MM x 1100MM), Soft lightweight padding material, Thickness: 3mm, Heat - mouldable foam, Shore:20/40	R 138.91
130	P.E. LITE SOFT (ORPHOZOATE), Sheet size: 1 x 2m, Flesh colour, Thickness: 25mm	R 3 833.95
134	PLASTEZOTE, Soft lightweight splint inner- liner material, Thickness: 6mm, Heat activated and formed	R 225.95
139	PLASTIC ADHESIVE, For flexible bonding's, Base polyurethane, 0.68kg, Heat activation, For cosmetics foams	R 223.66
140	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 3mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures (100°-120°)	R 474.14
142	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 5mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures (100°-120°)	R 790.10
143	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 6mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures (100°-120°)	R 945.96
146	EUROPLEX (Polyamide), Shape retaining components, insoles, High impact strength, Length: 2.050mm, Width: 1.200mm, Thickness: 2mm	R 3 658.91
189	CORK SHEET, SIZE: 600mmx900mmx30mm, High restoring forces, Resistant against friction wear	R 699.09
190	RUBBER SPONGE, Open - cell padding material, Durable shock absorber	R 843.61
192	RUBBER SPONGE, Thickness: 6mm, Open - cell padding material, Durable shock absorber	R 528.45
193	RUBBER SPONGE, Thickness: 3mm, Open - cell padding material, Durable shock absorber	R 258.73
205	BOOTMARKER KNIFE, Stainless stell blade	R 220.14
209	POLISHING PASTE, Colour: Green	R 32.66
217	HOMOPOLYMER-POLYPROPYLENE (1.2 x 2m per sheet), Thickness: ONLY AVAILABLE IN 5MM, Physiologically safe according to German Federal Institute for risk valuation, Very good thermoforming properties, Shrinkage matched to orthopaedic requirements, Mouldable in high heat temperatures (180 degrees - 200 degrees)	R 670.46

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
12	SILICONE SUSPENSION SLEEVE (EACH), With dital connector and 10cm distal matrix, Wall thickness: 6mm distal cushion pads, 6mm anterior and 6mm posterior, With outer textile, Size: 200mm - 360mm	R 2 189.92
20	COMPLETE BOLT AND ADAPTOR FOR MENS SACH FEET, 100mm x 10mm, Plastic coated bolt adapter, T-Shaped, Plastic coated bolt adapter, Flat washer, Lock washer, Two underside wedges	R 79.32

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
	MODULAR SINGLE AXIS KNEE JOINT, Joints with ball bearing, Joints centre placed posterior, Medial	
	joint head flush inside, Lateral joint head offset inside, Concave rounded edge bar, Forced upper and	
26	lower joints, Upper bar length: 410mm, Lower bar length: 150mm, For medium duty	R 1 919.28
	STUMP SOCKET SUCTION VALVE, Combined with a sleeve ejects air from the socket during stance	
	phase, System minimize friction and shearing forces, To be used with transtibial prosthetic fitting, Valve	
42	body, O-ring, Counter nut, Compensation unit, Dust filter	R 415.58
47	ANKLE BLOCK, middle hole diameter: 10mm	R 313.00
48	ANKLE BLOCK, middle hole diameter: 8mm	R 238.70
<u>49</u> 50	ANKLE BLOCK, middle hole diameter: 6mm, for all children sach feet ANKLE BOLT (for all children), Sach Feet: 8mm	R 280.63 R 79.32
50	AINALE BOLT (IOT all children), Sach Feet. onin	R 79.32
	COMPLETE BOLT AND ADAPTOR WITH ANKLE BLOCK (FOR CHILD SACH FOOT), 70mm x 8mm	
	and 60mm x 6mm, Plastic coated bolt adaptor, (Include shaped wooden ankle block), T-Shaped, plastic	
57	coated bolt adaptor, Flat washer, Lock washer, Two underside wedges	R 359.95
70	MODULI AD KNEE DURUEC, Darke husbing with galit. Conneg. Otto Dark Catalogue ag. 4D74 og Circilog	D 466 40
70	MODULAR KNEE BUSHES, Brake bushing with split, Copper, Otto Bock Catalogue nr. 4B74 or Similar NYLON STUMP SOCKS, SYMES, LENGTH: 45F2, 45x17x10cm, Double border, Differentiated in width	R 166.19
88	narrow at tip wider at top, Non-run mesh, Shrink proof	R 52.46
	ONE WAY VALVE, Combined with a sleeve ejects air from the socket during stance phase, Valve body	
	O-ring, Counter nut, Compensation unit, Dust filter, System minimize friction and shearing forces, To be	
89	used with transtibial prosthetic fitting	R 415.58
	SACH FOOT FOR MEN, SIZE: 30CM, Without ankle block and bolt, With toes, 18mm Heel height,	
104	Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 305.00
104		11 000.00
105	SEALING SLEEVE, Distal attachment, copolymer gel, Size: 350mm, Profile: 3mm, Regular	R 1 395.69
100	WOOLLEN STUMP SOCKS, LENGTH: 25 F 1, 25 x 12 x 8cm, Double border, Differentiated in width	
122	narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
	WOOLLEN STUMP SOCKS, LENGTH: 25 F 4, 25 x 30 x 12cm, Double border, Differentiated in width	
123	narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
	· · · · · · · · · · · · · · · · · · ·	
	WOOLLEN STUMP SOCKS, LENGTH: 45 F 2, 45 x 17 x 10cm, Double border, Differentiated in width	
124	narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
	WOOLLEN STUMP SOCKS, LENGTH: 60 F 6, 60 x 28 x 16cm, Double border, Differentiated in width	
125	narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
	WOOLLEN STUMP SOCKS, LENGTH: 30 F 2, 30 x 17 x 10cm, Double border, Differentiated in width	
126	narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
	WOOLLEN STUMP SOCKS BELOW KNEE, LENGTH: 35 F 3, 35 x 20 x 13cm, Double border,	
127	Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
121	WOOLLEN STUMP SOCKS BELOW KNEE, LENGTH: 40 F 2, 40 x 17 x 10cm, Double border,	11 00.00
	Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5	
128	ply	R 56.83

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
129	WOOLLEN STUMP SOCKS, LENGTH: 40 F 4, 40 x 24 x 15cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
130	WOOLLEN STUMP SOCKS, LENGTH: 40 F 3, 40 x 20 x 13cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
131	WOOLLEN STUMP SOCKS, LENGTH: 50 F 5, 50 x 26 x 14cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
132	WOOLLEN STUMP SOCKS, LENGTH: 40 F 4, 40 x 24 x 15cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
133	WOOLLEN STUMP SOCKS, LENGTH: 55 F 2, 55 x 17 x 10cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
134	WOOLLEN STUMP SOCKS, LENGTH: 50 F 3, 50 x 20 x 12cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
135	WOOLLEN STUMP SOCKS, LENGTH: 55 F 3, 55 x 20 x 12cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
136	WOOLLEN STUMP SOCKS, BELOW KNEE, LENGTH: 60 F 4, 60 x 28 x 11cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83
137	WOOLLEN STUMP SOCKS, LENGTH: 65 F 5, 65 x 25 x 15cm, Double border, Differentiated in width narrow at tip wider at top, Shrink proof, Skin tolerance, Dermatological, Neutral, 5 ply	R 56.83

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
77	DROPFOOT SPLINT (Large) (Left), Supports dorsiflexion during swinging phase preventing foot drop, Polypropylene, Lightweight material and slim design to fit even in narrow shoe sizes, Adjustable calf- strap made of soft webbing, Hook and loop closure, Calf padding, Minor modifications must be done with a heat gun, Full length foot plate supports the foot arch, Size: Large (>shoe size: 9)	R 272.10
78	DROPFOOT SPLINT (Large) (Right), Supports dorsiflexion during swinging phase preventing foot drop, Polypropylene, Lightweight material and slim design to fit even in narrow shoe sizes, Adjustable calf- strap made of soft webbing, Hook and loop closure, Calf padding, Minor modifications must be done with a heat gun, Full length foot plate supports the foot arch, Size: Large (>shoe size: 9)	R 272.10
79	DROPFOOT SPLINT (Medium) (Left), Supports dorsiflexion during swinging phase preventing foot drop, Polypropylene, Lightweight material and slim design to fit even in narrow shoe sizes, Adjustable calf-strap made of soft webbing, Hook and loop closure, Calf padding, Minor modifications must be done with a heat gun, Full length foot plate supports the foot arch, Size: Medium (shoe size: 6 - 9)	R 272.10
80	DROPFOOT SPLINT (Medium) (Right), Supports dorsiflexion during swinging phase preventing foot drop, Polypropylene, Lightweight material and slim design to fit even in narrow shoe sizes, Adjustable calf-strap made of soft webbing, Hook and loop closure, Calf padding, Minor modifications must be done with a heat gun, Full length foot plate supports the foot arch, Size: Medium (shoe size: 6 - 9)	R 272.10

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
81	DROPFOOT SPLINT (Small) (Left), Supports dorsiflexion during swinging phase preventing foot drop, Polypropylene, Lightweight material and slim design to fit even in narrow shoe sizes, Adjustable calf- strap made of soft webbing, Hook and loop closure, Calf padding, Minor modifications must be done with a heat gun, Full length foot plate supports the foot arch, Size: Small (>shoe size: 6)	R 272.10
82	DROPFOOT SPLINT (Small) (Right), Supports dorsiflexion during swinging phase preventing foot drop, Polypropylene, Lightweight material and slim design to fit even in narrow shoe sizes, Adjustable calf- strap made of soft webbing, Hook and loop closure, Calf padding, Minor modifications must be done with a heat gun, Full length foot plate supports the foot arch, Size: Small (>shoe size: 6)	R 272.10
83	DROPFOOT SPLINT (X-Large) (Left and Right), Must promotes dorsiflexion, Semi rigid plastic, Flat sole to fit into normal shoes - Size: 7 - 9, Minor modifications must be done with a heat gun, Valcro closure, Full length foot plate	R 272.10
87	Plantar Fasciitis Night Splint, Size: Small, Medium, Large, X-Large, Lightweight, Extra thick liner, Quick release buckles, Extra long, padded strapping, Slip resistant sole, Toe wedge, Universal right or left	R 248.80
98	Rom Walker Size: S - XL, Range of motion from 45 degrees of plantar flexion and 45 degrees of dorsiflexion, 7,5 degree increments, Cushioned insole and heel, Straps can be individually placed along uprights, malleable aluminium uprights	R 560.30
99	Air Walker Size: S - XL, Accessible and integrated air pump and release valve, Breathable, contoured liner, Rocker bottom, Medial and lateral air bladders, Lightweight, Low profile footbed height, Malleable aluminium uprights, Wide footbed	R 572.53
151	JOINT KNEE STEEL, Size: Medium, Barlock, Springloaded, Spring steel / High Tensile steel, Side bar steel width: 19mm, Side bar steel thickness: 5mm, Square edge bar or half round	R 1 971.53
161 (e)	PANTYHOSE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Sizes: XX-Large, Compression: 23 - 32mmHG	R 342.94
163 (e)	PANTYHOSE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: XX-Large, Compression: 34 - 46mmHG	R 342.94
188	Strong Elastic Bandage, Bandage made of 94% Cotton, 6% Elastine, Bandage Clips and Elastic parts, Length: 5meter, Width: 10cm, Color: Skin	R 129.47

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES BARFORD JONES ORTHOMED (PTY) LTD PART A: SUNDRIES

ITEM		PRICE (VAT
NUMBER	DESCRIPTION	INCLUDED)
1		
	ACETONE, Contain scientific properties of Acetone solvent only, Chemically pure, Transparent, 20lt	R 230.40
2	THINNER FOR CONTACT ADHESIVE, Good mixing behavior, Strong penetrating solvent, Contents: 0.8kg, 5lt	R 248.52
3	THINNERS FOR PLASTIC ADHESIVE, For thinning and cleaning, 0.8kg, 5lt	R 250.80
13	CARBURUNDUM OR EQUAL SANDING BELTS, 120 Grit, Width: 50mm x 2.500 M, Comb Sand Machine (Bfn)	R 33.86
14	CARBURUNDUM OR EQUAL SANDING BELTS, 120 Grit, Width: 40mm x 1.66 M, Comb Sand Machine (Bfn)	R 21.09
15	CARBURUNDUM OR EQUAL SANDING BELTS, 120 Grit, Width: 100mm x 1.66 M, Comb Sand Machine (Bfn)	R 51.30
16	CARBURUNDUM OR EQUAL SANDING BELTS, 120 Grit, Width: 100mm x 1.5 M, Comb Sand Machine (Bfn)	R 45.15

PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
20		
	CARBURUNDUM SILICON OR EQUAL PAPER DISCS, Diameter: 400mm and 280mm, Grit: 30	R 26.22
21	SAND PAPER BELT, Grit: 80, Width: 100mm, Length: 1490mm	R 51.87
22	SAND PAPER BELT, Grit: 80, Width: 100mm, Length: 1640mm	R 49.02
24	WATER SANDING PAPER, Grain: 240/400, Length: 280mm, Width: 230mm	R 6.84
25	MEGABOND, must have very good sticking qualities, Adhesive to carbon and synthetic rubber (plastic), Dole, It must be heat reactivated, Water-resistant, Strong bond when heated stick tide, Soluble in megabond thinner	R 370.50
26	MEGABOND THINNERS, Solvent to dissolve mega bond solution, Highly inflammable	R 254.22
28	NEOPRENE ADHESIVE, For glueing neoprene and many different textiles, Base: Polychloroprene, Fast acting adhesive and sprayable when thinned, Contents: 5 Liter	R 300.96
34	RIGID WEBBING 25MM x 2MM, (25/50m Length)	R 142.50
35	RIGID WEBBING 37MM x 2MM, (25/50m Length)	R 208.05
36	RIGID WEBBING 50MM x 2MM, (25/50m Length)	R 256.50
39	DACRON WEBBING 25MM WIDE (27.34M / 25yd ROLL), Durable strapping material, Synthetic, Sealed side edges, Uniform wove, Fine woven with smooth surface, Non-stretchable, Navy blue / Black / Khaki / Beige / White	R 568.86
41	ELASTIC WEBBING 35mm width (25m Roll Length), Stretchable material, Sealed side edges, Durable material, Colour: Golden and White	R 1 282.50
42	ELASTIC WEBBING 50mm width (25m Roll Length), Stretchable material, Sealed side edges, Durable material, Colour: Golden and White	R 1 567.50
48	ROLL LOOP (CHAFF 50MM), With plastic roller and plastic attachment plate, Prevents loops from twisting, Clear width: 50mm	R 7.07
49	TOE PUFF, Heat activated, Thickness: 1mm, Sheet size: 1000 x 1500mm	R 96.90
51	EVA SHEETING THICKNESS 12MM, Beige, White and Grey, Shore:50/55	R 583.68
52	RHENOFLEX (PER SQUARE METER), Contour material, Light medium density	R 310.08
58	ORFILASTIC (SIZE: 480MM x 1000MM), Thickness: 5mm, Self adhesive padding material, Elastic foam combined with towel - cloth material	R 513.00
59	SHOE NAILS, For nail heeler, Length: 32mm	R 52.44
65	LIGHTWEIGHT PUTTY, Base: unsaturated polyester resin with special light fillers dissolved in styrene, Good adhesive qualities, Contents: 0.96kg	R 340.86
71	PATELLA BUTTONS, Aluminium, Diameter: 12mm, Hole: 3mm, Groove width: 3.5mm	R 2.23
72	LOCTITE, For thread lock, Medium firm, Hardening adhesive, 50ml	R 575.70
89	WOVEN CARBON FIBREGLASS STOCKINETTE 10cm, Unites properties of carbon and fibreglass, Tonsion angle 45 degrees, Length: 10 meter, Width: 10cm	R 709.08
93	PERLON STOCKINETTE (20m roll), Similar or equal to Otto bock, Width: 100mm, Two-way stretch, Highly elastic, Fine nylon mesh for reinforcement of lamination resin	R 217.17
94	PERLON STOCKINETTE, Similar or equal to Otto bock, Width: 80mm, Two-way stretch, Highly elastic, Fine nylon mesh for reinforcement of lamination resin	R 233.70
96	PERLON STOCKINETTE, Similar or equal to Otto bock, Width: 150mm, Two-way stretch, Highly elastic, Fine mesh for reinforcement of lamination resin	R 233.70
97	PERLON STOCKINETTE, Similar or equal to Otto bock, Width: 200mm, Two-way stretch, Highly elastic, Fine nylon mesh for reinforcement of lamination resin	R 233.70
98	PERLON STOCKINETTE, Similar or equal to Otto bock, Width: 250mm, Two-way stretch, Highly elastic, Fine nylon mesh for reinforcement of lamination resin	R 233.70
99	PERLON STOCKINETTE, Similar or equal to Otto bock, Width: 300mm, Two-way stretch, Highly elastic, Fine nylon mesh for reinforcement of lamination resin	R 233.70

PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
101		INCLODED)
	SPECIAL ADHESIVE FOR BANDAGES, Contact adhesive for orthopaedics and shoe technology, Can be thinned with water and is free of solvents, Color is transparent, Content: 0.5kg (Per 0.5lt)	R 94.05
102	PROSTHETIC GLUE, Plastic adhesive for flexible bonding base polyurethane heat activation, Colour: Transparent	R 84.36
106	RIGID FOAM COMPONENT A, Content: 1kg	R 84.36
107	RIGID FOAM COMPONENT B, Content: 1kg	R 84.36
109	PLASTIZENE, For preparing models, For forming interim dummies, Easy formable, Easy to apply, Colour: White or Grey, 1.5kg	R 108.30
110	CORK SHEETS, Thinkness: 6mm, Sheet size: 915mm x 610mm	R 161.8
119	TAPE DOUBLE SIDED (PVC ADHESIVE TAPE), FOR DOUBLE SIDE ADHERING PVC SHEETING FOR APPLYING REINFORSMENTED MATERIALS, Transparent (covered with greaseproof paper) Length: 30m, Width: 24, Per roll	R 165.30
122	P.E. LITE (SIZE: 1850MM x 1000MM), Soft lightweight padding material, Thickness: 5mm, Heat - mouldable foam	R 279.30
123	P.E. LITE (SIZE: 1500MM x 600MM), Soft lightweight padding material, Thickness: 3mm, Heat - mouldable foam	R 157.3
125	P.E. LITE (SIZE: 2000MM x 1000MM), Soft lightweight padding material, Thickness: 12mm, Heat - mouldable foam, Shore:40/45	R 375.0
126	P.E. LITE (SHEET SIZE: 1M x 2.1M) (WHITE), Firm lightweight padding material, Thickness: 12mm, Heat - mouldable foam, Shore:35/40	R 583.6
128	P.E. LITE (SIZE: 2100MM x 1100MM), Soft lightweight padding material, Thickness: 3mm, Heat - mouldable foam, Shore:35/25	R 279.3
131	MULTI-COLOUR SOFT PADDING MATERIAL, Thermally mouldable, high restoring forces, pressure resistant, Shore: A-40-45, Sheet size: 1.050mm x 900mm, Thickness: 3mm	R 222.3
132	LOW TEMPERATURE THERMO PLASTIC, Thickness: 3mm, Beige Unperforated, Must be softened in hot water or with hot air, Stretch, drape must provides maximum control during splint fabrication, Must be strong and rigid, jet flexible, Memory for repeated reheating	R 940.5
133	PLASTEZOTE, Soft lightweight splint inner- liner material, Thickness: 3mm, Heat activated and formed	
135	MEMOFLEX, Shore: 20 / 25, Thickness: 10mm	R 118.5 R 613.3
136	MEMOFLEX, Shore: 40 / 45, Thickness: 10mm	R 426.3
137	AMS 2000 OR SIMILAR-6MM (Sheet 1mx1m), Must have memory, For use as a soft insole material	R 1 020.3
138	AMS 2000 OR SIMILAR-3MM (Sheet 1mx1m), Must have memory, For use as a soft insole material	R 627.0
148	PLASTER OF PARIS POWDER, (Rhyno Mould), White, Quick setting time	R 302.1
150	RUBBER GLOVES FOR APPLYING COMPRESSION STOCKINGS, 100% Latex Gloves, Sizes: Small, Medium, Large, Special napped finger tips and hand section for easy applying	R 51.3
152	SPRING STEEL, Flat 3mm x 12mm	R 210.9
153	SPRING STEEL FLAT, Flat 3mm x 15mm	R 251.9
154	SPRING STEEL FLAT, Flat 1.6mm x 18mm	R 151.6
155	SPRING STEEL FLAT, Flat 3mm x 25mm	R 417.2
156	STEEL TUBING ROUND, Conduit: 6mm hole	R 250.8
158	SPRING STEEL FLAT, Flat 3 x 18mm	R 314.6
159	SPRING STEEL, Half Round, High tensile steel, Width: 4mm, Rust-proof	R 119.7
160	SPRING STEEL, Half Round, High tensile steel, Width: 6mm, Rust-proof	R 160.7

PART A: SUNDRIES

tem Iumber	DESCRIPTION	PRICE (VAT INCLUDED)
161	SPRING STEEL, Half Round, High tensile steel, Width: 7.9mm, Rust-proof	R 239.4
178	D- Shaped RING 12.5MM WIDTH x 2.5 MM THICKNESS, Closed- Welded, Nickel - Plated, Steel	R 399.0
179	D- Shaped RING 15MM WIDTH x 2.5 MM THICKNESS, Closed- Welded, Nickel - Plated, Steel	R 85.5
180	STEEL TUBING ROUND, Conduit: 4mm hole	R 86.6
181	STEEL TUBING ROUND, Conduit: 7.9mm hole	R 99.1
182	EYELETS, Hole 3mm in diameter, Nickel - Plated iron	R 342.0
183	EYELETS, Hole 4mm in diameter, Nickel - Plated iron	R 399.0
184	SHOE TACKS, Length: 19mm (kg)	R 214.3
185	RHENOFLEX, Contour material, Light medium density	R 467.4
187	ULTRAFORM INSOLE MATERIAL (FULL SIZE: 1650MM x 930MM), Thickness: 18mm	R 1 288.2
188	FOAM FOR CORK, For raisers and hardener, Foam 1 and 2, 900g	R 490.2
197	FEATHER CREPE RUBBER, Thickness: 3mm (PER 1.35m ²), Black and Brown, Flexible semi soft rubber	R 250.
198 (b)	FEATHER CREPE RUBBER, Thickness: 6mm (PER 1.35m ²), Brown, Flexible semi soft rubber	R 404.
202	WEDGE FEATHER CREPE, Colour: Black, Thickness: 200 to 100mm, Sheet size: 1000 to 500m	R 222.
204	BOOT LACES, Flat, Brown and Black, Length: 120cm long	R 4.
206	LEATHER DYE (STATE QUANTITY), Water / Spirit based pigment, Colour dye for lether, sole and shoes upper, Black and Brown	R 256.
207	BOTTOM STAIN WAX BLOCS, Colour: Black, Brown and Flesh, Box of nine	R 256.
213	PLASTIC CLIP CLOSURE BUCKLES, BUCKLES/BELT PLASTIC SIZE: 38MM, Colour: Black, Inside diameter 38mm	R 5.
214	PLASTIC CLIP CLOSURE BUCKLES, BUCKLES/BELT PLASTIC SIZE: 25MM, Colour: Black, Inside diameter 50mm	R 5.
215	GRIT CLOTH (ABRONET), Grain: 180, Length: 280mm, Width: 230mm	R 7.
218	HOOK-AND-LOOP HOOK STRAP, SELF ADHESIVE, For fast detachable connections, Color: White, Width: 25mm, Roll: 25m	R 198.
220	LAMINATING POWERCELL INSOLE MATERIAL, Thickness: 16mm, Shore: 40-45, Sheet size: 950mm x 1620mm, 4 layered colours: Black, Brown, Beige, skin	R 1 293.
221	WILLOW CALF LEATHER, Calf brown first grade, Skin not to exceed 170dm ² , Conforming to colour no A 02 as described in SABS 1091, Substance not less than 0.9mm	R 6.
226	LEATHER BOX CALF (BLACK), Thickness: 1.2mm to 1.4mm, Unit per: sqdm	R 7.
232	LEATHER - INSOLE SHOULDER, Vegetable - tanned Soft, Substance: 2.5 - 3.0mm	R 9.
233	LEATHER - SOLE BUTT, Vegetable - tanned Soft, Substance: 3.0 - 3.5mm (kg)	R 300.
234	BOVINE NAPPA (BLACK), Colour: Black, LEATHER FOR CHURIGAL SHOES, Substance: 2.00mm - 2.5mm	R 6.
237	BUCKLES (Double Roller), Size: 13mm	R 1.
238	BUCKLES (Double Roller), Size: 16mm	R 1.
239	BUCKLES (Double Roller), Size: 19mm	R 1.
240	BUCKLES (Double Roller), Size: 25mm	R 1.
241	TWO BAR SLIDES, Thickness: 25mm x 3mm x 5mm Loop, Closed Welded, Nickel - plated, Steel, Shape: Rectangle (200 units)	R 420.
243	TWO BAR SLIDES, Thickness: 50mm x 3mm x 5mm Loop (200 units), Closed Welded, Nickel - plated, Steel, Shape: Rectangle (200 units)	R 570.
244	PARTLEY STEEL, Unit 40ml	R 570.
245	PARTLEY CLEAR, Unit 40ml	R 62.

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
6	AK SUCTION VALVE FOR THERMOFORMING HOLE 24mm, Total Contact, Plastic non adjustable, Complete with housing	R 1 567.50
8	BODY FOAM CONNECTION PLATE, To be glued on cosmetic foam cover, Must snap on adapter	R 28.50
9	DAWSKIN - TRANS-FEMORAL PROSTHESIS, For Trans-Femoral prostheses, Slips on and off easily, Soft, flexible and durable, Skin-like texture and feel, Does not interfere with Function of knee, Nine skin tones (Blush, Fair, Shell, Cream, Caucasian, Suntan, Dark Suntan, Light Black and Black), Sizes: Petite, Small, Medium and Large	R 2 354.10
10	MODULAR COSMETIC STOCKINGS AK WITH ELASTICIZED CUFF, Colour: Flesh and Negroid, Otto Bock Catalogue nr. 99B14=4 or Similar, (Example available at any O&P centre in FS Province)	R 51.30
13 (a)	KEASY, Trans-tibial in two sizes: 160mm, Distal thickness: 10mm and 180mm Distal thickness: 12mm	R 957.60
13 (b)	KEASY, Trans-Fermoral in one size: 210 Distal thickness: 10mm, Profile:6.5mm	R 957.60
14	LONG KEASY, Transtibial long, Length: 500mm, Proximal diameter: 180mm, Profile: 6.5mm, Distal thickness: 12mm	R 974.70
46	HIP JOUNT SYSTEM (LEFT AND RIGHT), Offer: s/s hip joint single axis for hip disarticulation and hemi pelvectomy amputees with lower functional levels	R 3 967.20
52	SACH FOOT FOR WOMEN, Size: 22-28	R 433.20
53	ANTI BACTERIAL THERMOLYNE RIGID, Suitable for check socket, Orfitrans stiff 12mm, Activation temperature 170c, Maximum shrinkage during, Length: 400mm and Width: 400mm, Colour: Colourless	R 490.20
54	ANTI BACTERIAL THERMOLYNE SOFT ORFITANS SUPRA SOFT 12MM, Orfitrans supra soft 12mm, Activation temperature, Suitable for check socket, Eva based, Semi-transparent, High flexibility, Extremely high flexibility, Clarity, Temperature: 150°C / 302°F, Fracture resistance, Length: 400mm and Width: 400mm, Colour: Colourless	R 567.72
59	COSMETIC STOCKINGS FOR CHILDREN, Skin coloured, Length: 340mm, 370mm and 440mm	R 45.60
61	ENERGY STORING FOOT, Sides: Left and Right, Sizes: 24cm to 30cm, Heel height: 5mm, Colours: Beige and Light Brown, Complete with foot shell and cosmetic connection cap, Complete modular foot with replaceable parts, Polycentric ankle function	R 4 115.40
67	MODULAR COSMETIC STOCKINGS BK WITH ELASTICIZED CUFF, Colour: Flesh and Negroid, Size: 1, 2, 3 (Per pair)	R 68.40
69	MODULAR TRANSTIBIAL KIT, Lamination Anchor with pyramid, Tube clamp adaptor, Tube adapter	R 763.80
74	NYLON STUMP SHEATHS ABOVE KNEE, LENGTH 30F4, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
75	NYLON STUMP SOCK, LENGTH 25F4, 25x30x12CM, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
76	NYLON STUMP SHEATHS ABOVE KNEE, LENGTH 40F3, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
77	NYLON STUMP SHEATHS ABOVE KNEE, LENGTH 55F3, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
78	NYLON STUMP SHEATHS BELOW KNEE, LENGTH 60F3, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
79	NYLON STUMP SOCKS ABOVE KNEE, LENGTH 50F3, 50x20x12cm, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
81	NYLON STUMP SOCKS ABOVE KNEE, LENGTH: 65F4, 65x25x15cm, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
83	NYLON STUMP SOCKS (EACH), LENGTH: 60F4, 60x28x11cm, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
84	NYLON STUMP SOCKS, ABOVE KNEE, LENGTH: 40F2, 40x17x10cm, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
85	NYLON STUMP SOCKS, BELOW KNEE, LENGTH: 25F1, 25x12x8cm, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
86	NYLON STUMP SOCKS, BELOW KNEE, LENGTH: 30F2, 30x17x10cm, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
87	NYLON STUMP SOCKS, BELOW KNEE, LENGTH: 35F3, 35x20x13cm, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof (each)	R 51.07
90	POLYURETHANE LINERS (WITH OUTER TEXTILE), With distal connector, Wall thickness: 4.5mm, Distal tapered to:2.5mm proximal, Sizes: 160mm to 400mm, Tapered shape with an increase thickness in the front, these liners are appropriate for moderately active or active trans-tibial amputees whose bony prominences require special care. Profile:3mm in the back, 6mm in the front	R 3 015.30
92	SACH FOOT ATTACHEMENT PLATE, 400mm x 700mm thread, Hole: 10mm	R 22.80
93	SACH FOOT ATTACHEMENT PLATE, 400mm x 700mm thread, Hole: 8mm	R 22.80
108	SILICONE SUSPENSION SLEEVE, Clear / Transparent, Size: 20 -32, Distal end reinforced with locking device attachment, Roll - on silicone socket, Flexible	R 1 567.50
109	SINGLE AXES CONNECTION CAP, To fit into single axis foot apron, Plastic light weight	R 25.08
110	SINGLE AXES FOOT, SIZE: 22, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Material wooden ankle block, Left and Right	R 969.00
111	SINGLE AXES FOOT, SIZE: 23, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R 969.00
112	SINGLE AXES FOOT, SIZE: 24, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R 969.00
113	SINGLE AXES FOOT, SIZE: 25, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R 969.00
114	SINGLE AXES FOOT, SIZE: 26, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R 969.00
115	SINGLE AXES FOOT, SIZE: 27, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R969.00
116	SINGLE AXES FOOT, SIZE: 28, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R 969.00
117	SINGLE AXES FOOT, SIZE: 29, With ankle joint included (single axis foot adaptor with screw accessories), Weight limit: 100kg, Pedilan sole, Sole contour: Flat convex, 10mm Heel height, Left and Right	R 969.00
138	AMOENA CLASSIC STANDARD (INCLUDE BRA), For radical mastectomy, Sizes: 0-12, Left and Right	D 1 652 00
143	with wings replacing lymphnodes, Include prosthesis cover JOINT ELBOW LARGE, Hosmer single axis below elbow hinge	R 1 653.00 R 3 226.20

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
144	JOINT, ELBOW, MEDIUM, Hosmer single axis below elbow hinge	R 2 793.00
145	OUTSIDE LOCKING HINGE SIZE: MEDIUM, Hosmer outside locking hinge	R 9 034.50
146	STEP UP BELOW ELBOW HINGE, MEDIUM, Hosmer step up below elbow hinge	R 3 933.00
152	CONTROL CABLE FITTINGS TRIPLE SWIVEL (EACH), Triple swivel, To fit 0.159cm diameter cable, With grommets	R 145.92
153	CONTROL CABLE FITTINGS, Triple swivel for 1/16" cable (code C-701), Rubber grommet, C-759, Ball terminals for 1/16" cable C-703, Ball terminals for 1/16" cable C-704, Ball receiver for 1/16" cable C-713, Ball receiver for 1/16" cable C-714, To fit 0.159cm diameter cable	R 558.60
155	ANCHOR PLATE, Stainless Steel	R 34.20
156	CABLE STAINLESS STEEL, Standard, 0.159cm, Roll 25 meter	R 492.48
157	BUCKLES FOUR BAR ONE INCH, FBB"1 (2.54cm)	R 39.90
158	RETAINER FOR STANDARD CH100 HOUSING, Stainless steel	R 85.50
159	NORTH WESTERN HARNESS RING, Size: (Med) 5.4cm, (Large) 6.2cm	R 74.10
160	HANGER FOR CABLE (0.159CM), "1 Webbing (2.54cm)	R 90.06
161	CONTROL CABLE FITTINGS FERRULE, Stainless Steel Ferrules for standard size housing	R 52.44
162	CONTROL CABLE FITTINGS - HANGER, Cable loop: 25mm, Slot width: 25mm, Cable to belt connector, Cable hole adaptor, Webbing slot	R 90.06
163	CONTROL CABLE FITTINGS GROSS BAR ASSEMBLY, Size: Standard	R 157.32
165	WORKING HOOK 11.7CM, 213G MEN, LIGHT METAL ALLOY LIGHT DUTY, Cable activated, Voluntary opening, Return spring or rubber, Connection piece hole, Attachment piece for stud / plate M 12 x 1.5, Left and right	R 7 142.10
166	WORKING HOOK 12.4CM, 228G MEN, LIGHT METAL ALLOY HEAVY DUTY, Cable activated, Voluntary opening, Return spring or rubber, Connection piece hole, Attachment piece for stud / plate M 12 x 1.5, Left and right	R 6 954.00
174	CONTROL CABLE FITTING, Four bar buckles, Stainless steel, For 0.476cm Webbing	R 41.04
175	CONTROL CABLE FITTING, Ball receiver: 0.48cm, For cable width: 0.159cm Diameter	R 134.52
177	COSMETIC GLOVE, SIZE: 7 ³ / ₄ MEN, Size: 7 ³ / ₄ (Men), Left and right, For mechanical hands, Selection of colour shades	R 957.60
178	COSMETIC GLOVE, SIZE: 7¼ WOMEN, Size: 7¼ (Women), Left and right, For mechanical hands, Selection of colour shades	R 957.60
181	QUICK CHANGE WRIST MECHANISM WITH INSERT 40MM, Ratchet type, 360 degrees of rotation, With lock lever, Quick release lever with ball handle for ease in changing terminal	R 1 368.00
187	SYSTEM, HAND, LEFT AND RIGHT, SIZE: 6 ³ / ₄ CHILD, Sizes: 7 ¹ / ₄ - 8, Voluntary opening, Steel cable through the back of the hand, With threaded stud, System inner hand	R 3 163.50
	PART C: ORTHOTICS	

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
1	CERVICAL COLLAR SOMI (STERNO OCCIPITAL MANDIBULAR IMMOBILIZER) (ADULT), Neck Brace made out of: Sterno-clavicular plate, Adjustable Chin support, Detachable Occipital support, Adjusting Straps for Chin to Occipital supports, Adjustable shoulder straps to attached to suspenders, All body parts line with P.E. Lite, Size: Adult, Colour: White	R 969.00
2	CERVICAL COLLAR SOMI (STERNO OCCIPITAL MANDIBULAR IMMOBILIZER) (CHILD), Neck Brace made out of: Sterno-clavicular plate, Adjustable Chin support, Detachable Occipital support, Adjusting Straps for Chin to Occipital supports, Adjustable shoulder straps to attached to suspenders, All body parts line with P.E. Lite, Size: Child, Colour: White	R 969.00
3	CERVICAL COLLAR MIAMI J SIMILAR OR EQUAL - LARGE, Moulded two part support, Occipital and mandibular immobiliser parts, Made out of polyethylene shell, Padded with soft inner lining, Velcro straps	R 507.30

PART C: ORTHOTICS

item Number	DESCRIPTION	PRICE (VAT INCLUDED)
4	CERVICAL COLLAR MIAMI J SIMILAR OR EQUAL - MEDIUM, Moulded two part support, Occipital and mandibular immobiliser parts, Made out of polyethylene shell, Padded with soft inner lining, Velcro straps	, R 507.30
5	CERVICAL COLLAR MIAMI J SIMILAR OR EQUAL - SMALL, Moulded two part support, Occipital and mandibular immobiliser parts, Made out of polyethylene shell, Padded with soft inner lining, Velcro straps	R 507.30
9	MILWAUKEE NECK BRACE KIT - Large, Complete stainless steel kit, posterior bars with screws, Anterior plae with screws (aluminium material), All bars with adjusting holes and screws, Stainless steel Neck ring, hinged on mandible section, Plastic cushions for chin & occipital aspects	R 4 024.20
10	MILWAUKEE NECK BRACE KIT - Medium, Complete stainless steel kit, posterior bars with screws, Anterior plae with screws (aluminium material), All bars with adjusting holes and screws, Stainless steel Neck ring, hinged on mandible section, Plastic cushions for chin & occipital aspects	R 4 024.20
11	MILWAUKEE NECK BRACE KIT - Small, Complete stainless steel kit, posterior bars with screws, Anterior plae with screws (aluminium material), All bars with adjusting holes and screws, Stainless steel Neck ring, hinged on mandible section, Plastic cushions for chin & occipital aspects	R 4 024.20
12	TLSO BRACE, Small, Hip: 28 to 30 inches (71-76cm), Prefabricated light weight plastic material, Made out of two parts (anterior and posterior), Anterior part 1/3 of full size, Removable inner lining for both parts (made out of felt or soft cotton material), 3 Bilateral straps and 2 shoulder straps (suspension)	R 2 274.30
13	TLSO BRACE, Large, Size: Hip: 34 to 38 inches (86-96cm), Prefabricated light weight plastic material, Made out of two parts (anterior and posterior), Anterior part 1/3 of full size, Removable inner lining for both parts (made out of felt or soft cotton material), 3 Bilateral straps and 2 shoulder straps (suspension)	R 2 274.30
14	TLSO BRACE, Medium, Hip: 30 to 34 inches (76-86cm), Prefabricated light weight plastic material, Made out of two parts (anterior and posterior), Anterior part 1/3 of full size, Removable inner lining for both parts (made out of felt or soft cotton material), 3 Bilateral straps and 2 shoulder straps (suspension)	R 2 274.30
15	TLSO BRACE, X-Large, Hip: 38 to 46 inches (96-106cm), Prefabricated light weight plastic material, Made out of two parts (anterior and posterior), Anterior part 1/3 of full size, Removable inner lining for both parts (made out of felt or soft cotton material), 3 Bilateral straps and 2 shoulder straps (suspension)	R 2 274.30
16	Bennets Brace Small, Prefabricated light weight shell, Shell is connected to abdominal section with adjustable webbing straps, Must limit lateral and rotary movement of the lower spine, Size: Small	R 1 539.60
17	Bennets Brace Medium, Prefabricated light weight shell, Shell is connected to abdominal section with adjustable webbing straps, Must limit lateral and rotary movement of the lower spine, Size: Medium	R 1 539.00
18	Bennets Brace Large, Prefabricated light weight shell, Shell is connected to abdominal section with adjustable webbing straps, Must limit lateral and rotary movement of the lower spine, Size: Large	R 1 539.00
19	Bennets Brace X-Large, Prefabricated light weight shell, Shell is connected to abdominal section with adjustable webbing straps, Must limit lateral and rotary movement of the lower spine, Size: X-Large	R 1 539.00
51	ELASTIC LUMBO SACRAL ORTHOSES, Medium, 38 Inches, Interior Height: 20cm, Posterior Height: 26cm, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 290.70
52	ELASTIC LUMBO SACRAL ORTHOSES, Small, 34 Inches, Interior Height: 20cm, Posterior Height: 26cm, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 290.70
53	ELASTIC LUMBO SACRAL ORTHOSES, X-Large, 42 Inches, Interior Height: 20cm, Posterior Height: 26cm, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 290.70
54	ELASTIC LUMBO SACRAL ORTHOSES, X-Small, 32 Inches, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 290.70
55	ELASTIC LUMBO SACRAL ORTHOSES, Large, 40 Inches, Interior Height: 20cm, Posterior Height: 26mm, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 290.70

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
57	ELASTIC LUMBO SACRAL ORTHOSES, Medium, 38 Inches, Interior Height: 20cm, Posterior Height: 26mm, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 290.70
58	ZIP CORSETS (Small, Med, Large, X-Large and XX-Large), 2 Pull side lace adjustment, Removal steels, Zip closure with top Velcro hook and loop closure	R 638.40
59	Sacro Belt: XS, S, M, L, XL, A soft and comfortable support made from an elastic material, Supports the pelvic joints, Pelvis circumference: XS: 70 - 80cm, S: 80 - 90cm, M: 90 - 100cm, L: 100- 110cm, XL: 110 - 120 cm	R 250.80
64	SHOULDER SUPPORT (SIZE: SMALL - LARGE), Stabilizing, Limiting unwanted motion, Anatomically designed shoulder support made from PCM FOR TEMPERTURE REGULATING	R 381.90
73	PAVLIK HARNESS (Large), For congenital dislocation of the hip, Chest band, Shoulder straps (webbing), Polyester fur pile backing, Washable	R 119.70
74	PAVLIK HARNESS (Small), For congenital dislocation of the hip, Chest band, Shoulder straps (webbing), Polyester fur pile backing, Washable	R 119.70
75	PAVLIK HARNESS (Medium), For congenital dislocation of the hip, Chest band, Shoulder straps (webbing), Polyester fur pile backing, Washable	R 119.70
96	Therapeutic Hand Aid, Must keep fingers, hand and wrist positioned properly to protect joints and counteract ulner drift, Adjustable with hook and loop closure, Made of soft, washable long lasting material, Size: Large, Left and Right	R 273.60
97	Hand Splint: Combination Spring Oppenheimer to Dorsiflex the wrist, Medium & Large, A modified Oppenheimer Splint with coiled spring wire, Thumb outrigger, Wrist hook, Loop closure, Latex-free rubber bands, silver coloured finger loop, Black felt, removable terry liner, Hook and loop closure at wrist	R 712.50
100	JOINTS HIP STEEL, Light steel material pattern, For callipers / lower extremity orthosis, Medium Upper steel: 20cm, Lower steel: 26cm, Left and right, Square edge bar 12x4mm	R 741.00
104	KIP SIDE LEATHER, Vegetable - tanned, Natural colour, Containing not less than 6% grease, Without any blemishes, In accordance with the latest issue of CKS specification 399, Substance: 2.5 - 3.0mm (dm ²)	R 8.55
105	AUTOMATIC SPRING LEVER KNEE JOINT (BARLOCK JOINTS): Automatically engage at full extension, Square edge aluminium uprights, Joint size adult upright dimensions: 3/16" x 3/4"	R 3 294.60
125	SOFT SOLE HEEL WEDGE, Provides a 15° angle, Sizes: Small, Medium and Large	R 132.24
126	SOFT SOLE SPUR PAD, Sizes: Small, Medium and Large	R 142.50
133	STEEL CALIPER, With extension slides with screws, Round pin: 4mm, Upright half round steel, Length: 540mm	R 567.72
134	STEEL CALIPER, With extension slides with screws, Round pin: 6mm, Upright half round steel, Length: 740mm	R 790.02
135	STEEL CALIPER, With extension slides with screws, Round pin: 7.9mm, Upright half round steel, Length: 870mm	R 809.40
136	STEEL STRAIGHT, Round pin: 4mm, Half round steel, Length: 370mm, Thickness: 10mm	R 74.67
137	STEEL STRAIGHT, Round pin: 6mm, Half round steel, Length: 420mm, Thickness: 12mm	R 74.67
138	STEEL STRAIGHT, Round pin: 7.9mm, Half round steel, Length: 470mm, Thickness: 13mm	R 74.67
139	SPRING O'GORMAN, Wire with coil spring or equal, For drop foot dorsi flexion assist, Length: 50 - 60 cm, Heavy duty	R 370.50
140	EXTENTION SLIDES, Complete with screws, Proximal end bended iron supports, Round pin: 7.9mm, Forged in one piece, Length: 194mm, Width: 13mm	R 404.70
141	EXTENTION SLIDES, Complete with screws, Proximal end bended iron supports, Round pin: 6mm, Forged in one piece, Length: 180mm, Width: 12mm	R 394.44
142	EXTENTION SLIDES, Complete with screws, Proximal end bended iron supports, Round pin: 4mm, Forged in one piece, Length: 100mm, Width: 10mm	R 381.90

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
143	Threaded Spur pin 4.76mm (3/16"), Pin diameter: 4.76mm (3/16")	R 10.49
144	Threaded Spur pin 6.35mm (1/4"), Pin diameter: 6.35mm (1/4")	R 10.49
145	Threaded Spur pin 8mm (5/16"), Pin diameter: 8mm (5/16")	R 10.49
146	Double Heel Socket with Backstops Pin 4.76mm (3/16"), Diameter: 4.76mm (3/16")	R 157.32
147	Double Heel Socket with Backstops Pin 6.35mm (1/4"), Diameter: 6.35mm (1/4")	R 157.32
148	Double Heel Socket with Backstops Pin 8mm (5/16"), Diameter: 8mm (5/16")	R 157.32
167	Butler with long handles, Donning aid for all compression stockings, Standard or XXL	R 222.30
169	STOCKINGS ELASTIC PANTI-HOSE (SMALL), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mmHG 16/20	R 157.32
170	STOCKINGS ELASTIC PANTI-HOSE (LARGE), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mmHG 16/20	R 157.32
171	STOCKINGS ELASTIC PANTI-HOSE (X-LARGE), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mmHG 16/20	R 157.32
172	STOCKINGS ELASTIC PANTI-HOSE (XX-LARGE), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mmHG 16/20	R 157.32
177	STOCKINGS ELASTIC FOR MEN FULL LENGTH (LARGE), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN	R 94.10
178	STOCKINGS ELASTIC FOR MEN FULL LENGTH (MEDIUM), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN	R 94.10
180	STOCKINGS ELASTIC FOR MEN FULL LENGTH (X-LARGE), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN	R 94.10
181	STOCKINGS ELASTIC FOR MEN FULL LENGTH (XX-LARGE), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN	R 94.10
182	STOCKINGS ELASTIC FOR MEN KNEE LENGTH (LARGE), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN, Material composition: 70% Nylon, 9% Elastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 74.10
183	STOCKINGS ELASTIC FOR MEN KNEE LENGTH (MEDIUM), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN, Material composition: 70% Nylon, 9% Elastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 74.10
184		
	STOCKINGS ELASTIC FOR MEN KNEE LENGTH (SMALL), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN, Material composition: 70% Nylon, 9% Elastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 74.10
185	STOCKINGS ELASTIC FOR MEN KNEE LENGTH (X-LARGE), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN, Material composition: 70% Nylon, 9% Elastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 74.10
186	STOCKINGS ELASTIC FOR MEN KNEE LENGTH (XX-LARGE), Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: 140 DEN, Material composition: 70% Nylon, 9% Elastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 74.10
190	POSTURITE WHEEL CHAIR CUSHION, For both 16 and 18 inch wheel chairs, Cushion cover	R 336.30
192	TULI'S HEELCAPS, Sizes: Regular and Large, Super	R 114.00
193	PQ VISCO COMFORT FOOTBED, Sizes: 36 – 44	R 302.10

PART D: BOOTS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
1	ARCOPAEDICOS, Size: 3, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 153.90
2	ARCOPAEDICOS, Size: 4, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 153.90
3	ARCOPAEDICOS, Size: 4, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige ARCOPAEDICOS, Size: 5, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 153.90
4	ARCOPAEDICOS, Size: 6, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 153.90
5	ARCOPAEDICOS, Size: 7, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 153.90
6	ARCOPAEDICOS, Size: 8, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 153.90
8	TARSO PRONATOR BOOTS, Size: 000 infants, Open toes, Internal stiffeners, Semi detached fringed tongues, Narrow, Medium, Wide, Lateral Last	R 490.20
9	TARSO PRONATOR BOOTS, Size: 00 infants, Open toes, Internal stiffeners, Semi detached fringed tongues, Narrow, Medium, Wide, Lateral Last	R 490.20
10	TARSO PRONATOR BOOTS, Size: 0 infants, Open toes, Internal stiffeners, Semi detached fringed tongues, Narrow, Medium, Wide, Lateral Last	R 490.20
11	TARSO PRONATOR BOOTS, Size: 1 infants, Open toes, Internal stiffeners, Semi detached fringed tongues, Narrow, Medium, Wide, Lateral Last	R 490.20
12	TARSO PRONATOR BOOTS, Size: 2 infants, Open toes, Internal stiffeners, Semi detached fringed tongues, Narrow, Medium, Wide, Lateral Last	R 490.20
13	TARSO PRONATOR BOOTS, Size: 3 infants, Open toes, Internal stiffeners, Semi detached fringed tongues, Narrow, Medium, Wide, Lateral Last	R 490.20
14	TARSO PRONATOR BOOTS, Size: 3 infants, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
15	TARSO PRONATOR BOOTS, Size: 4 infants, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
16	TARSO PRONATOR BOOTS, Size: 5 infants, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
17	TARSO PRONATOR BOOTS, Size: 6 infants, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
18	TARSO PRONATOR BOOTS, Size: 7 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
19	TARSO PRONATOR BOOTS, Size: 8 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
20	TARSO PRONATOR BOOTS, Size: 9 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 615.60
21	TARSO PRONATOR BOOTS, Size: 10 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 741.00
22	TARSO PRONATOR BOOTS, Size: 11 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 741.00
23	TARSO PRONATOR BOOTS, Size: 12 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 741.00
24	TARSO PRONATOR BOOTS, Size: 13 Children, Boots must feature out flare, Reverse last, Rigid shanks, Heel wedges, In Narrow or Wide Medium, Lateral Last	R 741.00
25	Lace to Toe Multi-Colour Boots Infants, Size: 3, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60
26	Lace to Toe Multi-Colour Boots Infants, Size: 4, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60

PART D: BOOTS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
27	Lace to Toe Multi-Colour Boots Infants, Size: 5, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60
28	Lace to Toe Multi-Colour Boots Infants, Size: 6, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60
29	Lace to Toe Multi-Colour Boots Childs, Size: 7, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60
30	Lace to Toe Multi-Colour Boots Childs, Size: 8, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60
31	Lace to Toe Multi-Colour Boots Childs, Size: 9, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 387.60
32	Lace to Toe Multi-Colour Boots Childs, Size: 10, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 410.40
33	Lace to Toe Multi-Colour Boots Childs, Size: 11, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 410.40
34	Lace to Toe Multi-Colour Boots Childs, Size: 12, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 410.40
35	Lace to Toe Multi-Colour Boots Childs, Size: 13, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 421.80
36	Lace to Toe Multi-Colour Boots Childs, Size: 1, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 421.80
37	Lace to Toe Multi-Colour Boots Youth, Size: 2, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 530.10
38	Lace to Toe Multi-Colour Boots Youth, Size: 3, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 530.10
39	Lace to Toe Multi-Colour Boots Youth, Size: 4, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 530.10
40	Lace to Toe Multi-Colour Boots Youth, Size: 5, Genuine leather uppers, Synthetic Lining, EVA stuck down wedge soles	R 530.10
41	INFANTS BOOTS, Lace to toe, Size: 3, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on the sole, Wide toe box area, Heel height must allow fitting of heel box, Complete inner lining for upper and soles	R 307.80
42	INFANTS BOOTS, Lace to toe, Size: 4, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on the sole, Wide toe box area, Heel height must allow fitting of heel box, Complete inner lining for upper and soles	R 307.80
43	INFANTS BOOTS, Lace to toe, Size: 5, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on the sole, Wide toe box area, Heel height must allow fitting of heel box, Complete inner lining for upper and soles	R 307.80
44	INFANTS BOOTS, Lace to toe, Size: 6, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on the sole, Wide toe box area, Heel height must allow fitting of heel box, Complete inner lining for upper and soles	R 307.80
45	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 7, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 404.70
46	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 8, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 404.70
47	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 9, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 404.70

PART D: BOOTS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
48	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 10, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 404.70
49	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 11, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 404.70
50	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 12, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 461.70
51	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 13, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 461.70
52	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 1, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 461.70
53	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 2, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 467.40
54	CHILDS BOOTS ANATOMICAL, Lace to toe, Size: 3, Black Leather upper, Heel and toe counters, Synthetic or leather sole adhesive to neoprene solution only (no other solvents needed to stick new soles and heels on the sole), Wide toe box area, Heel height must allow fitting of heel	R 467.40
55	YOUTH BOOTS ANATOMICAL, Lace to toe, Size: 4, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Heel height must allow fitting of heel box, Complete inner lining for upper and soles	R 467.40
56	YOUTH BOOTS ANATOMICAL, Lace to toe, Size: 5, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Heel height must allow fitting of heel box, Complete inner lining for upper and soles	R 467.40
57	ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 6, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 478.80
58	ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 7, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 478.80
59	ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 8, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 478.80
60	ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 9, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 478.80
61	ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 10, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new	
62	soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 11, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 478.80 R 478.80
63	ADULT LACE TO TOE BOOTS ANATOMICAL, Lace to toe, Size: 12, Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 478.80
64	Men's Boots Anatomical (Left or Right), Lace to toe, Size: (From 5 to 9 left and right), Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 535.88

PART D: BOOTS

ITEM		PRICE (VAT
NUMBER	DESCRIPTION	INCLUDED)
65	Lace to Toe Boots Youth (Left or Right), Lace to toe, Size: (From 2 to 5 left and right), Black Leather upper, Heel and toe counters, Synthetic or leather sole to be glued with neoprene and no other solvents needed to stick new soles and heels on to the sole, Wide toe box area, Complete inner lining for upper and soles	R 524.40
66	Diabetic Shoes (Per Pair), Ladies, Size: 2 to 10, Box calf leather quarters, synthetic breathable linings, lightweight breathable lycra vamps, Soft removable blue Poron insole, Soft EVA flexible soles with good runner, 5mm Extra depth to accommodate orthosis, Sizes: 2-10, Adult	R 450.30
67	Diabetic Shoes (Per Pair), Men, Size: 2 to 12, Box calf leather quarters, synthetic breathable linings, lightweight breathable lycra vamps, Soft removable blue Poron insole, Soft EVA flexible soles with good runner, 5mm Extra depth to accommodate orthosis, Sizes: 2-12, Adult	R 450.30
71	BOOT LACES, Flat, Length: 120cm, Black and Brown	R 4.54
72	BOOT LACES, Flat, Length: 180cm, Black and Brown	R 6.82
75	CORK PIECE, 30MM X 120MM X 300MM, Resistant against friction wear, High restoring forces	R 205.20
76	CORK PIECE, 50MM X 120MM X 300MM, Resistant against friction wear, High restoring forces	R 393.30

	PART E: WALKING AIDS		
ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)	
8	RUBBER FERRULES, With steel insert washer (Elbow Crutches), Hole diameter: 15mm, Colour: Blue, Black and Grey	R 12.48	

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES DJO ORTHOPAEDIC SOUTH AFRICA (PTY) LTD PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
56	ELASTIC LUMBO SACRAL ORTHOSES, Small, 34 Inches, Interior Height: 20cm, Posterior Height: 26mm, Soft and comfortable Neoprene Rubber Material, Wrap around back brace, Body: 3.2mm thick, Additional pull wrap: 5mm thick, Width front: 21cm; back: 29cm	R 205.20
60	ARM IMMOBILIZER (LARGE), Arm length: 47cm, Cuff: 34cm, Waist strap: 110cm, Shoulder strap: 103cm, Must exert upward pressure, Must immobilise arm and shoulder, Must have comfortable waist and shoulder straps	R 57.00
61	ARM IMMOBILIZER (MEDIUM), Arm length: 37cm, Cuff: 31cm, Waist strap: 107cm, Shoulder strap: 100cm, Must exert upward pressure, Must immobilise arm and shoulder, Must have comfortable waist and shoulder straps	R 57.00
62	ARM IMMOBILIZER (SMALL), Arm length: 25cm, Cuff: 28cm, Waist strap: 84cm, Shoulder strap: 74cm, Must exert upward pressure, Must immobilise arm and shoulder, Must have comfortable waist and shoulder straps	R 57.00
63	ARM IMMOBILIZER (X-LARGE) Arm length: 57cm, Waist strap: 113cm, Shoulder strap: 105cm, Must exert upward pressure, Must immobilise arm and shoulder, Must have comfortable waist and shoulder straps	R 57.00
65 (a)	Clavical Brace, Foam underarm pads covered with stockinette, 25mm Webbing straps with D ring and buckles forms triangular closure, Size: XS	R 70.68
65 (b)	Clavical Brace, Foam underarm pads covered with stockinette, 25mm Webbing straps with D ring and buckles forms triangular closure, Size: Small	R 70.68

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
65 (c)		INCLUDED)
	Clavical Brace, Foam underarm pads covered with stockinette, 25mm Webbing straps with D ring and buckles forms triangular closure, Size: Medium	R 70.68
65 (d)	Clavical Brace, Foam underarm pads covered with stockinette, 25mm Webbing straps with D ring and buckles forms triangular closure, Size: Large	R 70.68
65 (e)	Clavical Brace, Foam underarm pads covered with stockinette, 25mm Webbing straps with D ring and buckles forms triangular closure, Size: X-Large	R 70.68
67	Arm Abduction Orthoses (Aeroplane Splint), Lightweight, Left and Right, Easily adjustable, Washable, Size: Universal	R 1 806.90
68 (a)	Neoprene Elbow Sleeve, Provides compression and warmth to the elbow region, Compressive neoprene, Sizes: Small	R 54.72
68 (b)	Neoprene Elbow Sleeve, Provides compression and warmth to the elbow region, Compressive neoprene, Sizes: Medium	R 54.72
68 (c)	Neoprene Elbow Sleeve, Provides compression and warmth to the elbow region, Compressive neoprene, Sizes: L	R 54.72
68 (d)	Neoprene Elbow Sleeve, Provides compression and warmth to the elbow region, Compressive neoprene, Sizes: XL	R 54.72
68 (e)	Neoprene Elbow Sleeve, Provides compression and warmth to the elbow region, Compressive neoprene, Sizes: XXL	R 54.72
69	Elbow Ranger (Post-Operative), Has flexion/extension stops at 0, 15, 30, 60 and 90 degrees, Upper arm and forearm padding with velcro closure, Size: Universal, Left and Right	R 490.20
70	Humeral Cuff - Size: Small, Medium, Large, Provides total contact circumferential soft tissue compression, Allows range of motion of both shoulder and elbow joints, Foam-Lined, Fits left and right, Comes with two double-thick cotton stockinets	R 798.00
71	Humeral Fracture Brace (Over the Shoulder), Size: Small, Medium, Large, Provides total contact circumferential soft tissue compression, Allows range of motion of both shoulder and elbow joints, Foam-Lined, Deltoid cap extension, Fits left and right, Comes with two double-thick cotton stockinets	R 758.10
84	FOAM WALKER BRACE LARGE, Durable plastic walker frame (posterior part), Durable plastic anterior part, Rubber bottom-non-slip sole rubber tread, Secure Velcro straps, Length: 41cm, Foot size: 26cm, Navy/Grey	R 564.00
85	FOAM WALKER BRACE MEDIUM, Durable plastic walker frame (posterior part), Durable plastic anterior part, Rubber bottom-non-slip sole rubber tread, Secure Velcro straps, Length: 41cm, Foot size: 24cm, Navy/Grey	R 564.00
86	FOAM WALKER BRACE SMALL, Durable plastic walker frame (posterior part), Durable plastic anterior part, Rubber bottom-non-slip sole rubber tread, Secure Velcro straps, Length: 41cm, Foot size: 22cm, Navy/Grey	R 564.00
88	ELASTIC HERNIA AID (Small), Suspension brief, Strong tension elastic, With contoured pads, Colour: White or Beige	R 189.00
89	ELASTIC HERNIA AID (Large), Suspension brief, Strong tension elastic, With contoured pads, Colour: White or Beige	R 189.00
90	ELASTIC HERNIA AID (Medium), Suspension brief, Strong tension elastic, With contoured pads, Colour: White or Beige	R 189.00
91	Elastic Maternity Belt, Soft, comfortable, plush foam anterior, Strong, breathable elastic posterior, 6" wide tapering down to 3" anteriorly, Adjustable to accommodate size changes during pregnancy, Sizes: Small, Medium, Large, X-Large	R 222.30
102	KNEE GUARD ELASTIC (X-Large), Upper diameter: 16cm, Lower diameter: 15cm, Knitted elastic, Tapered to provide uniform compression, Material composition: 70% Nylon, 9% Elastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 40.00
103	KNEE GUARD ELASTIC (Large), Upper diameter: 15cm, Lower diameter: 14cm, Knitted elastic, Tapered to provide uniform compression	R 40.00

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
106	KNEE GUARD ELASTIC (Small), Upper diameter: 12cm, Lower diameter: 11cm, Knitted elastic, tapered to provide uniform compression, Material composition: 70% Nylon, 9% Eastine, 21% Cotton, Circular knitted latex free with no joints or cut outs on the supports	R 40.00
107	KNEE HINGED SUPPORT NEOPRENE RUBBER (Small), Circumference 38-44, 15cm above patella, Open patella design, Patella pad, Medial and lateral stainless steel hinges with hyperextension stop, Retaining velcro straps, Tapered	R 199.50
108	KNEE HINGED SUPPORT NEOPRENE RUBBER (Medium), Circumference 44-48, 15cm above patella, Open patella design, Patella pad, Medial and lateral stainless steel hinges with hyperextension stop, Retaining velcro straps, Tapered	R 199.50
109	KNEE HINGED SUPPORT NEOPRENE RUBBER (XXX-Large), Circumference 62-67, 15cm above patella, Open patella design, Patella pad, Medial and lateral stainless steel hinges with hyperextension stop, Retaining velcro straps, Tapered	R 199.50
110	KNEE HINGED SUPPORT NEOPRENE RUBBER (XX-Large), Circumference 57-62, 15cm above patella, Open patella design, Patella pad, Medial and lateral stainless steel hinges with hyperextension stop, Retaining velcro straps, Tapered	R 199.50
111	KNEE HINGED SUPPORT NEOPRENE RUBBER (Large), Circumference 48-52, 15cm above patella, Open patella design, Patella pad, Medial and lateral stainless steel hinges with hyperextension stop, Retaining velcro straps, Tapered	R 199.50
112	KNEE HINGED SUPPORT NEOPRENE RUBBER (X-Large), Circumference 52-57, 15cm above patella, Open patella design, Patella pad, Medial and lateral stainless steel hinges with hyperextension stop, Retaining velcro straps, Tapered	R 199.50
113	KNEE RANGER SPLINT LONG, Initial immobilisation, Provide controlled range of movement, Extension range: 0° to 80°, Flexion range: 0° to 120°, Two thigh and two calf bands padded with foam, Valcro closure straps	R 399.00
114	STABILISING ANKLE BRACE (LEFT AND RIGHT), White and Black, Outer shell made from high density polypropylene, Soft padded plastic covered inserts medial and lateral, Velcro adjustment, Length: 25cm	R 108.00
115	STABILISING ANKLE BRACE (LEFT AND RIGHT), White and Black, Outer shell made from high density polypropylene, Soft padded plastic covered inserts medial and lateral, Velcro adjustment, Length: 33cm	R 108.00
116	ANKLE GUARD ELASTIC (Medium), Upper diameter: 10cm, Lower diameter: 9cm, Open heel design, Knitted elastic, Must provides uniform compression	R 39.00
117	ANKLE GUARD ELASTIC (Small), Upper diameter: 9.5cm, Lower diameter: 8cm, Open heel design, Knitted elastic, Must provides uniform compression	R 39.00
118	ANKLE GUARD ELASTIC (X-Large), Upper diameter:12.5cm, Lower diameter: 10.5cm, Open heel design, Knitted elastic, Must provides uniform compression LACE-UP ANKLE BRACE (LARGE), Length: 25cm, Cirvumference: 24cm-28cm, Navy/Black, Anatomically	R 39.00
119	shaped neoprene sock, Dual strap to resist inversion, Open heel	R 108.00
121	LACE-UP ANKLE BRACE (MEDIUM), Length: 25cm, Cirvumference: 20cm-24cm, Navy/Black, Anatomically shaped neoprene sock, Dual strap to resist inversion, Open heel	R 108.00
122	LACE-UP ANKLE BRACE (SMALL), Length: 25cm, Cirvumference: 17cm-20cm, Navy/Black, Anatomically shaped neoprene sock, Dual strap to resist inversion, Open heel	R 108.00
127	LACE-UP ANKLE BRACE (X-LARGE), Length: 25cm, Cirvumference: 28cm-32cm, Navy/Black, Anatomically shaped neoprene sock, Dual strap to resist inversion, Open heel SPLINT NIGHT HALLUX VALGUS, Length: ±10cm, Small, With wire rod or plastic, With bandages for	R 108.00
128	application of minor forces SPLINT NIGHT HALLUX VALGUS, Length: ±12cm, Medium, With wire rod or plastic, With bandages for	R 54.00
129	application of minor forces SPLINT NIGHT HALLUX VALGUS, Length: ±14cm, Large, With wire rod or plastic, With bandages for application of minor forces	R 54.00 R 54.00

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
162 (a)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Size: Small	R 48.30
162 (b)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Size: Medium	R 48.30
162 (c)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Size: Small Long	R 48.30
162 (d)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Medium Short	R 48.30
162 (e)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Medium Regular	R 48.30
162 (f)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Medium Long	R 48.30
162 (g)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Large Short	R 48.30
162 (h)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Large Regular	R 48.30
162 (i)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Large Long	R 48.30
162 (j)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: X-Large Regular	R 48.30
162 (k)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: Large Long	R 48.30
162 (I)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: XX-Large Regular	R 48.30
162 (m)	Anti-Embolism Stockings, Silicone Napped Intelligent Top band, 3D Heel, Inspection opening at toe section, higienic toe, 18mmHG at ankle, Graduated compression, Sizes: XX-Large long	R 48.30

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES FS & NCP MEDICAL AGENCY CC PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
92	ELASTIC WRIST SPLINT X-LARGE, Size: Length: 26.5cm, Circumference/hand: 22.5cm, Circumference/forearm: 27cm, Firm elastic and custom shape for hand, Anti-roll material, Hand Malleable stay: 15 - 20mm wide, on palmer for wrist flexion adjustment, Convertible or left or right, 1cm deviation is allow both sides of the size	R 60.57
93	ELASTIC WRIST SPLINT LARGE, Size: Length of brace: 20cm, Circumference of wrist 20cm, Firm elastic and custom shape for hand, Anti-roll material, Hand Malleable stay: 20 - 25mm wide, on palmer for wrist flexion adjustment, Convertible or left or right	R 60.57
94	ELASTIC WRIST SPLINT MEDIUM, Size: Length of brace: 18cm, Circumference of wrist 16 - 19cm, Firm elastic and custom shape for hand, Anti-roll material, Hand Malleable stay: 20 - 25mm wide, on palmer for wrist flexion adjustment, Convertible or left or right	R 60.57
95	ELASTIC WRIST SPLINT SMALL, Size: Length of brace: 18cm, Circumference of wrist < 16cm, Firm elastic and custom shape for hand, Anti-roll material, Hand Malleable stay: 15 - 20mm wide, on palmer for wrist flexion adjustment, Convertible or left or right	R 60.57

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
163 (a)	PANTYHOSE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Small, Compression: 34 - 46mmHG	R 334.10
163 (b)	PANTYHOSE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Medium, Compression: 34 - 46mmHG	R 371.40
163 (c)	PANTYHOSE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Large, Compression: 34 - 46mmHG	R 368.75
163 (d)	PANTYHOSE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: X-Large, Compression: 34 - 46mmHG	R 367.55
164 (a)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Small, Compression: 34 - 46mmHG	R 282.20
164 (b)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Medium, Compression: 34 - 46mmHG	R 283.40
164 (c)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Large, Compression: 34 - 46mmHG	R 283.25
164 (d)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: X-Large, Compression: 34 - 46mmHG	R 280.80
165 (a)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Small, Compression: 23 - 32mmHG	R 242.90
165 (b)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Medium, Compression: 23 - 32mmHG	R 240.30
165 (c)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Large, Compression: 23 - 32mmHG	R 291.90
165 (d)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: X-Large, Compression: 23 - 32mmHG	R 292.20
166 (b)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Medium, Compression: 34 - 46mmHG	R 144.50
166 (c)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Large, Compression: 34 - 46mmHG	R 152.00
166 (d)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: X-Large, Compression: 34 - 46mmHG	R 154.70
166 (e)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Knee Large, Compression: 34 - 46mmHG	R 169.30
166 (f)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Knee X-Large, Compression: 34 - 46mmHG	R 168 60

164 (a)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Small, Compression: 34 - 46mmHG	R 282.20
164 (b)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Medium, Compression: 34 - 46mmHG	R 283.40
164 (c)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Large, Compression: 34 - 46mmHG	R 283.25
164 (d)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: X-Large, Compression: 34 - 46mmHG	R 280.80
165 (a)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Small, Compression: 23 - 32mmHG	R 242.90
165 (b)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Medium, Compression: 23 - 32mmHG	R 240.30
165 (c)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Large, Compression: 23 - 32mmHG	R 291.90
165 (d)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: X-Large, Compression: 23 - 32mmHG	R 292.20
166 (b)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Medium, Compression: 34 - 46mmHG	R 144.50
166 (c)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Large, Compression: 34 - 46mmHG	R 152.00
166 (d)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: X-Large, Compression: 34 - 46mmHG	R 154.70
166 (e)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Knee Large, Compression: 34 - 46mmHG	R 169.30
166 (f)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: Knee X-Large, Compression: 34 - 46mmHG	R 168.60
175 (a)	BK Stockings (Men), Fashionable broad ribbed design, Anatomical shape left and right, Clima comfort technology, antimicrobial activity, Class 11, Size: 1-7, Colour: Black/Brown/Navy, Small	R 157.85
175 (b)	BK Stockings (Men), Fashionable broad ribbed design, Anatomical shape left and right, Clima comfort technology, antimicrobial activity, Class 11, Size: 1-7, Colour: Black/Brown/Navy, Medium	R 183.50
175 (c)	BK Stockings (Men), Fashionable broad ribbed design, Anatomical shape left and right, Clima comfort technology, antimicrobial activity, Class 11, Size: 1-7, Colour: Black/Brown/Navy, Large	R 184.75
175 (d)	BK Stockings (Men), Fashionable broad ribbed design, Anatomical shape left and right, Clima comfort technology, antimicrobial activity, Class 11, Size: 1-7, Colour: Black/Brown/Navy, X-Large	R 185.15
176 (a)	BELOW KNEE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Small, Compression: 23 - 32mmHG	R 129.20
176 (b)	BELOW KNEE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Medium, Compression: 23 - 32mmHG	R 132.10
176 (c)	BELOW KNEE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Large, Compression: 23 - 32mmHG	R 138.90
176 (d)	BELOW KNEE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: X-Large, Compression: 23 - 32mmHG	R 140.40
176 (e)	BELOW KNEE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Knee X-Large, Compression: 23 - 32mmHG	R 151.30
176 (f)	BELOW KNEE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: Knee Large, Compression: 23 - 32mmHG	R 151.35

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES ORTHOPAEDIC SUPPLIERS CC PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
4	SAW BAND BLADE, For wood / Plastic / Foam, Length: 3300mm, Width: 19mm, Three teeth per 1cm, Thickness: 2mm	R 303.92
5	SAW BAND BLADE, For wood / Plastic / Foam, Length: 3750mm, Width: 19mm, Three teeth per 1cm, Thickness: 2mm	R 343.25
6	SAW BAND BLADE, For wood / Plastic / Foam, Length: 3750mm, Width: 25mm, Three teeth per 1cm, Thickness: 2.5mm	R 428.52
7	SAW BAND BLADE Welkom, For wood / Plastic / Foam, Length: 3300mm, Width: 25mm, Three teeth per 1cm, Thickness: 2.5mm	R 378.42
8	SAW BAND BLADE Bfn, For wood / Plastic / Foam, Length: 3600mm, Width: 19mm, Three teeth per 1cm, Thickness: 2mm	R 329.68
9	BANDAGE ROSETTE OFFER, 1) For fastening straps by mean of screw connection in laminations with 3 riveted holes. Thread: M4, Washer: 21.5mm. 2) Rosette screw nickel plated M4 thread, length: 8mm, head: 15mm	R 116.85
10	BANDAGE ROSETTE OFFER, For fastening straps by mean of screw connection, with nuts, Thread M4	R116.85
11	CAPS NUMKEAG, Round - 9 to 10cm diameter, Pre-cut edges for easy fitting, Grit: 80	R 12.88
12	CARBURUNDUM SANDING Belt, Fast cut resin cloth of equal, Width:31mm, Grit: 80	R 243.33
17	CARBURUNDUM SANDING PAPER, Fast cut resin cloth or equal, Width: 100mm, Grit: 80	R 213.50
19	CARBURUNDUM SANDING PAPER, Fast cut resin cloth or equal, Width: 31mm, Grit: 24	R 309.39
23	SANDING SLEEVE FOR SOCKET ROUTER (EACH), Sanding drum: 73 x 100 x 200mm, Cone-shaped, Grit: 60 and 100	R 46.17
29	SUPER GLUE, For different applications, For rubber, leather, cork and metal, Base: Ethyl, Fast curing time, high mechanical strength, 20g	R 30.21
30	SEWING MACHINE OIL, Good corrosion protection, Content: 100ml	R 21.09
31	THREAD, COTTON, No 20, White, Black, Brown, Beige	R 243.56
40	NYLON WEBBING 50MM WIDE (25M Roll Length), Non stretchable material, Sealed side edges, Durable material, Colour: Blue / Black/ Khaki / Beige / White	R 173.85
44	VELCRO TAPE HOOK LOOP 38mm WIDE x 25m Length x 2mm Thickness, Nylon base material, Hook closure, Loop closure, Non stretchable, Durable material, Colour: Navy blue / Black / Khaki / Beige / White	R 215.17
45	VELCRO TAPE HOOK LOOP 50mm WIDE x 25m Length x 2mm Thickness, Nylon base material, Hook closure, Loop closure, Non stretchable, Durable material, Colour: Navy blue / Black / Khaki / Beige / White	R 215.17
46	VELCRO TAPE HOOK LOOP 25mm WIDE x 25m Length x 2mm Thickness, Nylon base material, Hook closure, Loop closure, Non stretchable, Durable material, Colour: Navy blue / Black / Khaki / Beige / White	R 121.12
47	VELCRO TAPE HOOK LOOP 18mm WIDE x 10m Length x 2mm Thickness, Nylon base material, Hook closure, Loop closure, Non stretchable, Durable material, Colour: Navy blue / Black / Khaki / Beige / White	R 81.22
56	EXO SHEET MATERIAL, Thickness: 0.065, Colour: Black, Size: Sheet	R 1 366.91
60	GENERAL PURPOSE EPOXY ADHESIVE (EPIDERMIX 372), Consisted of a base and activator, water cleanable, Colour: Cream, 500ml (Per 500ml)	R 402.99
78	MICRO-BALLOON, WHITE, Light filler material, Powder form, Net content: 1kg	R 328.32

PART A: SUNDRIES

	DESCRIPTION	PRICE (VAT
NUMBER 91	DESCRIPTION CARBON FIBRE CLOTH, High strength, Good absorption, Good draping characteristics, Length: 2 meter,	INCLUDED)
51	width: 1200mm	R 745.92
100	ELASTIC PLASTER BANDAGES, For making of a plaster cast, box of 12, Length: 2 meter, Width: 10cm	R 148.20
103	PVA FILM 003, Width: 100cm, Must serves as plastic bag in laminations, Thickness: 0.003cm	R 2 881.35
105	RESIN COLOUR PASTE, For lamination resin and putty's, Good surface coverage, Net content: 0.25kg, Colour: Brown, Skin colour, White, Black	R 54.72
112	COPOLYMER LINNERS (TPE) (With outer textile), STEP LINE PLUS LINER, For low moderate activity levels, To be used in Total contact sockets, With distal connector and 10cm distal matrix, Wall thickness 5.5mm distal tapered to 3.5mm proximal, 10mm distal cushion pad	R 6 336.12
129	P.E. LITE (SIZE: 1850MM x 1000MM), Firm lightweight padding material, Thickness: 5mm, Heat - mouldable foam, Shore:35/40 (Sheet Size: 1650 x 930mm)	R 544.92
141	POLYPROPYLENE (1.2 x 2m per sheet), Thickness: 4mm, Easy drape and moulding and stretching properties, Strength and rigidity, yet flexible, Resist stress fatigue, Mouldable in high heat temperatures (100°-120°)	R 747.84
144	TRANSFER PRINT, Silver, Blue, Pink sky, Camouflage, Scratch black, Ocean, Jeans, UV resistant coating structure, Width: 1.61metre	R 152.76
145	THERMOLYNE PPC, Good stiffness, Good thermo forming properties, Low shrinkage, Length: 2000mm, Width: 1000mm, Thickness: 4mm, Colour natural coloured	R 1 193.01
151	STRONG ELASTIC BANDAGE (CONING BANDAGE 10CM x 2m), Bandage made of 94% cotton, 6% Elastane, Bandage Clips and Elastic parts, SHORT STRETCH OR NORMAL, Length: 5meter, Width: 10cm, Color: Skin	R 95.76
157	SPRING STEEL FLAT, Flat (1.6 x 25mm)	R 452.23
171	RIVETS TUBULAR ALL SIZES, Galvanized steel, 7mm head size, Speed rivet, Two parts (head and open end)	R 235.98
172	RIVETS TUBULAR ALL SIZES, Galvanized steel, 11mm head size, Speed rivet, Two parts (head and open end)	R 304.38
173	RIVETS TUBULAR ALL SIZES, Galvanized steel, 13mm head size, Speed rivet, Two parts (head and open end)	R 743.28
176	BRASS WASHER, Borehole diameter: 3mm	R 256.50
177	BRASS WASHER, Borehole diameter: 4mm	R 752.40
191	RUBBER SPONGE, Thickness: 12mm, Open - cell padding material, Durable shock absorber	R 2 376.90
194	SOLING TOPY STRONG, Colour: Black, Thickness: 5mm, Sheet size: 600x900mm	R 457.14
196 (b)	FEATHER CREPE RUBBER, Thickness: 12mm (PER 1.35m ²), Brown, Flexible semi soft rubber	R 713.64
199 (b)	DRI FOOT RUBBER, Thickness: 5mm, Brown, Shock resistant, Hard strong rubber	R 1 040.25
201 (b)	TOPY (PER 0.70M ²) - Thickness: 2.5mm, Brown, Thin strong flexible rubber material	R 460.56
203	BOOT LACES, Flat, Length: 90cm long	R 4.56
208	BOTTOM STAIN, Colour: Black, Brown and Flesh	R 906.30
211	DUBBIN, Waterproofing and preservation of leather, 200ml	R 57.62
212	PLASTIC CLIP CLOSURE BUCKLES, BUCKLES/BELT PLASTIC SIZE: 25MM, Colour: Black, Inside diameter 25mm	R 4.44
216	HEAVY DUTY STANLEY BLADES (TRAPEZE BLADES), Replacement blades for Stanley Knife (Carpet knife), Pack of 5 blades	R 22.50
219	ISOPROPYL ALCOHOL, Basis: Dimethylcarbinol, 2-hydropane, 2-propanol, Chemically pure with transparent color, Content: 1 liter	R 118.21
224	KIP SIDE LEATHER LINING, Lining - tanned, Natural colour, Containing no less than 6% grease, Without any blemishes, In accordance with the latest issue of CKS specification 399, Substance 2.0 - 2.5mm	R 14.36
230	LEATHER BRIDLE BACKS, For outer sole on boots, Size: SQDM	R 18.94

PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
235	LEATHER CORDOVAN IMITATION, Width: 1800mm, Thickness: 0.05mm, Per sheet, Sheet size: 1,2m x 1m	R 97.29
236	PORON, Soft removable blue Poron insole, Soft eva flexible soles with good runner, Well trimmed lining, 5mm extra depth to accommodate Orthosis	R 598.50
242	TWO BAR SLIDES, Thickness: 37mm x 3mm x 5mm Loop, Closed Welded, Nickel - plated, Steel, Shape: Rectangle	R 581.40

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
29	MODULAR SINGLE AXIS KNEE JOINT, With pyramid adaptor, For tube clamp diameter: 22mm, With integrated inner extension assist, Material, aluminium	R 10 476.60
33	JUPA WOODEN KNEE LT & RT, Phase control knee offers a high degree of comfort and outstanding functional, Brake effect for stance phase control by means of wedge and groove	R 11 252.94
51	ANKLE BOLT (FOR ALL MEN'S), Sach Feet: 10mm	R 216.60
56	CHILDREN FOOT ADAPTOR WITH BOLT THREAD M8, Thread: M8, Complete with bolted connection, Stainless steel	R 272.46
60	DAWSKIN - TRANS-TIBIAL PROSTHESIS, SIZE: PETITE, SMALL, MEDIUM AND LARGE, For Trans-tibial prosthesis, Slips on and off easily, Soft, flexible and durable, Skin-like texture and feel, Nine skine tones (Blush, Fair, Shell, Cream, Caucasian, Suntan, Dark Suntan, Light Black and Black), Sizes: Petite, Small, Medium and Large	R 2 764.50
64	KINGSLEY FOOT SYMES, ADULT, Sizes: 22-31, Attachment plate with 6mm bolt for socket, Reinforced sole, Heel height: 18mm, Negroid/Flesh	R 1 654.71
71	KNEE JOINT FOR PLASTIC PROSTHESES 7V25, Nickel plated, Leght duty, Joints with ball bearings, Joints centre placed posterior, Medial joint head flush inside, Lateral joint head offset inside, Concave rounded edge bar, Forged upper and lower joints, Upper bar length: 140mm, Lower bar length: 150mm	R 4 476.78
91	PROSYMES, Heel height: 5mm, Foot form: Unisex, Sides: Left and Right, Sizes:25cm to 28cm, Clearance without spacer plate: 43mm, Clearance with spacer plate: 52mm, Colours: Beige and Light Brown, Complete with lamination anchor, lamination cover, spacer plate, foot shell and spectra stock	R 3 426.70
142	BALSAR ELBOW WITH FOREARM, CHILDREN, The length & circumference determine the size, Consisting of plastic forearm, length approx: 250mm, Elbow joint without ratchet, With pull lock, Upper arm rotation joint, Lamination collar, Circumference approx: 210mm	R 16 416.57
148	CONNECTION PIECE FOR HOOK, Nylon Cable end-piece, Ball terminal with threaded en and washer, Short sleeve, Steel	R 476.52
154	CABLE HOUSING CH-100 AND CH-101, Length: 3.8meter, To fit 0.159cm diameter cable	R 169.86
164	WORKING HOOK 12.5MM, CHILDREN, LIGHT METAL ALLOY LIGHT DUTY, Cable activated, Voluntary opening, Return spring or rubber, Connection piece hole, Attachment piece for stud / plate M 12 x 1.5, Left and right	R 7 203.09
167	JUVENILE HOOK LENGTH: 8.6, 85g light metal alloy, Plastic covered fingers, Cable activated, Voluntary opening, Return spring or rubber, Connection piece hole, Attachment piece for stud / plate M12 x 1.5, Left and right, Light duty	R 7 250.40
169	CABLE CONTROL SYSTEM, HOUSING- CHILDREN (PER METER), Control housing, Inside diameter (for cable) 0.59cm	R 153.67
170	PROSTHETIC ARM CONTROL CABLE, ABOVE ELBOW, ADULT, Steel cable complete with slide coupling, Small eyelet anchor, Housing length: 500mm	R 933.66

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
171	PROSTHETIC ARM CONTROL CABLE, ABOVE ELBOW, ADULT (EACH), Complete with slide coupling, Small eyelet anchor, Housing length: 300mm, Nylon cable	R 933.66
172	CABLE CONTROL UNIT SPIRAL, For nylon cable, Thickness diameter: 3.8mm, Per meter	R 169.86
173	CONTROL CABLE FITTING, Base plate for retainer, Including rubber disc	R 63.84
176	CONTROL CABLE FITTING, Ball terminal, Diameter: 0.48cm, To fit cable diameter: 0.159cm, With grommets, Triple swivel	R 202.80
180	WRIST SOCKET WITH BALL LOCK 60MM, Ratchet type, 360 degrees of rotation, With lock lever, Quick release lever with ball handle for ease in changing terminal	R 11 108.73
182	QUICK CHANGE WRIST MECHANISM WITH INSERT 50MM, Ratchet type, 360 degrees of rotation, With lock lever, Quick release lever with ball handle for ease in changing terminal	R 2 742.84
184	FRICTION WRIST UNIT SIZE: 40MM, 40MM, Friction wrist unit, Permits terminal device to be rotated to any position, Friction is easily adjusted by set screw in body of wrist, Friction insert has s/steel lead threads and must be replaceable, Standard ½-20 thread	R 1 682.64

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED
20	BELTS LUMBO - SACRAL FOR MEN (127cm), SIZE: 50 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
21	BELTS LUMBO - SACRAL FOR MEN (102cm), SIZE: 40 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
22	BELTS LUMBO - SACRAL FOR MEN (107cm), SIZE: 42 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
23	BELTS LUMBO - SACRAL FOR MEN (112cm), SIZE: 44 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
24	BELTS LUMBO - SACRAL FOR MEN (122cm), SIZE: 48 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99

PART C: ORTHOTICS

		PRICE
ITEM NUMBER	DESCRIPTION	(VAT INCLUDED
25	BELTS LUMBO - SACRAL FOR MEN (132cm), SIZE: 52 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
26	BELTS LUMBO - SACRAL FOR MEN (137cm), SIZE: 54 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
27	BELTS LUMBO - SACRAL FOR MEN (142cm), SIZE: 56 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
28	BELTS LUMBO - SACRAL FOR MEN (147cm), SIZE: 58 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
29	BELTS LUMBO - SACRAL FOR MEN (72cm), SIZE: 28 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
30	BELTS LUMBO - SACRAL FOR MEN (77cm), SIZE: 30 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
31	BELTS LUMBO - SACRAL FOR MEN (82cm), SIZE: 32 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
32	BELTS LUMBO - SACRAL FOR MEN (87cm), SIZE: 34 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
33	BELTS LUMBO - SACRAL FOR MEN (92cm), SIZE: 36 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED
34	BELTS LUMBO - SACRAL FOR MEN (97cm), SIZE: 38 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
35	BELTS LUMBO - SACRAL FOR MEN (117cm), SIZE: 46 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
36	BELTS LUMBO - SACRAL FOR WOMEN (102cm), SIZE: 40 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
37	BELTS LUMBO - SACRAL FOR WOMEN (107cm), SIZE: 42 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
38	BELTS LUMBO - SACRAL FOR WOMEN (112cm), SIZE: 44 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
39	BELTS LUMBO - SACRAL FOR WOMEN (117cm), SIZE: 46 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
40	BELTS LUMBO - SACRAL FOR WOMEN (127cm), SIZE: 50 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
41	BELTS LUMBO - SACRAL FOR WOMEN (132cm), SIZE: 52 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
42	BELTS LUMBO - SACRAL FOR WOMEN (137cm), SIZE: 54 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
43	BELTS LUMBO - SACRAL FOR WOMEN (142cm), SIZE: 56 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED
44	BELTS LUMBO - SACRAL FOR WOMEN (147cm), SIZE: 58 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 6cm below or 6cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
45	BELTS LUMBO - SACRAL FOR WOMEN (72cm), SIZE: 28 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
46	BELTS LUMBO - SACRAL FOR WOMEN (77cm), SIZE: 30 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
47	BELTS LUMBO - SACRAL FOR WOMEN (82cm), SIZE: 32 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
48	BELTS LUMBO - SACRAL FOR WOMEN (87cm), SIZE: 34 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
49	BELTS LUMBO - SACRAL FOR WOMEN (92cm), SIZE: 36 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 4cm below or 4cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
50	BELTS LUMBO - SACRAL FOR WOMEN (97cm), SIZE: 38 inches x 25mm Height Anterior x 35mm Posterior Height -(Variation 5cm below or 5cm above), Strong-Durable-Nylon-Material (Lumber Sacral Support), Tapered to conform to anatomic posture, Material: Dacron Cotton, 2 or 3 Pull straps depending on the size, Side lace adjustment, Pockets for removalbe Stays, Paint coated Stays, Anterior elastic inserts, Reinforced hook and eye plus snap button closure or with strong zip, Colour: White	R 687.99
72	JOINTS ELBOW, For upper extremity orthosis / prosthesis, Free motion, Joints filed on flexion side, Upper steel: 240mm, Lower steel: 300mm, Medium	R 1 939.71
101	RINGLOCK AOTOMATICK JOINTS (MEDIUM), Bar length upper / lower: 440 / 570, Bar width / thickness: 14 / 5mm, Material: Steel	R 3 175.47
123	POLYCENTRIC JOINTS, For fracture bracing, Aluminium lightweight, Must lock in any position, Attachment plates on both ends	R 2 276.58
124	RIGID PELVIC JOINTS, Steel, Upper and Lower 12cm long each, Width: 3cm, Thick: 3 - 4mm	R 2 014.38
149	Ring Lock Automatic Joint (Medium), Size: Medium, Ringlock / Knee lock, Spring steel / High Tensile steel, Side bar steel width: 14mm or nearest / medium, Side bar steel thickness: 5mm, Length upper steel: 440mm, Length lower steel: 570mm, Square edge bar or half round (Pair)	R 3 042.08
150	Ring Lock Automatic Joint (Large), Size: Large, Ringlock / Knee lock, Spring steel / High Tensile steel, Side bar steel width: 16mm or nearest / large, Side bar steel thickness: 5mm, Length upper steel: 440mm, Length lower steel: 620mm, Square edge bar or half round (Pair)	R 3 042.08
153	Ankle Joints kit for Thermoformed AFO (Oklahoma), Flexible joints constructed of polypropylene, Sizes: XS: 51 x 24mm, S: 67 x 25mm, M: 83 x 32mm, L: 95 x 38mm, XL: 101 x 45mm	R 591.43
154	Comfort gel (day), Consist of menthol, horse chestnut, with hazel, 50ml	R 78.09
155	Comfort gel (night), Consist of jojoba oil, horse chestnut, with hazel and vitamines, 50ml	R 78.09

PART C: ORTHOTICS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED
156	Lymphpads (finely napped), Therapeutic moulded, Synthetic latex, Hold shape permanently, Pad size: 20x29.5cm, Unit of package: 10	R 162.45
159	LYMPHOEDEMA ARMSLEEVE (X-Large), Upper diameter: 13.5cm, Lower diameter: 9.5cm, Soft non - restrictive top, Porous, Easy to put on with hand piece, Compression: 25/30 DEN, Grade: 2	R 820.23
168	STOCKINGS ELASTIC PANTI-HOSE (X-SMALL), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mmHG 16/20	R 216.25
179	STOCKINGS ELASTIC FOR MEN FULL LENGTH (SMALL), Navy and Beige, Material Composition: 84% Nylon, 16% Elastine, Decreasing bi-elastic compression, Strong at ankles, lighter towards thighs, Reinforced toe and heel, Compression: mm HG 16/20	R 148.20
189	FOAM RING CUSHING, Outer diameter: 43cm, Inner diameter: 11.5cm, Firm density foam, Complete with material cover	R 176.70

PART D: BOOTS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED
7		D (75.05
	ARCOPAEDICOS, Size: 9, Knitted upper, Contoured sole, Lace or elastic, Colours: Black / Navy / Beige	R 475.95
68	English boot (Dennis brown boot), Leather upper and breathable lining (not pig skin), Padded collar, 14mm Buckle and strap, 2 Slots to pull strap tight, Peeping hole at heel, Tussled loose tung with soft lining, Leather inner outer sole, Covered padded insole, Tarsopronator last, Size: 000 - 3	R 804.84
69	English boot (Dennis brown boot), Leather upper and breathable lining (not pig skin), Padded collar, 14mm Buckle and strap, 2 Slots to pull strap tight, Peeping hole at heel, Tussled loose tung with soft lining, Leather inner outer sole, Covered padded insole, Tarsopronator last, Size: 4 - 8	R 995.22
70	BOOT LACES, Flat, Length: 90cm, Black and Brown	R 4.56
73	CIRCULAR TORQ HEEL, Rubber lift attach to heels, Cleats arranged in a radial pattern, Size: Small	R 484.50
74	TORQUE HEEL, Rubber lift attach to heels, Cleats arranged in a radial pattern, Size: Large	R 484.50

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES	
BSN MEDICAL CC	
PART C: ORTHOTICS	

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
161 (a)	PANTYHOSE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Sizes: Small, Compression: 23 - 32mmHG	R 326.17
161 (b)	PANTYHOSE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Sizes: Small Regular, Compression: 23 - 32mmHG	R 329.19
161 (c)	PANTYHOSE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Sizes: Large, Compression: 23 - 32mmHG	R 326.08
161 (d)	PANTYHOSE COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Sizes: X-Large, Compression: 23 - 32mmHG	R 324.66
166 (a)	BELOW KNEE COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Sizes: Small, Compression: 34 - 46mmHG	R 134.29

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES GENTRY HEALTH CC

PART C: ORTHOTICS

	DESCRIPTION	PRICE (VAT
NUMBER 6		INCLUDED)
	CERVICAL COLLAR (SOFT COLLAR) LARGE, Length: 52cm, Wide: 12cm, Thickness: 2cm, Medium density foam, Stockinet cover, Absorbent and washable, Velcro closure	R 28.29
7	CERVICAL COLLAR (SOFT COLLAR) SMALL, Length: 42cm, Wide: 8cm, Thickness: 2cm, Medium density foam, Stockinet cover, Absorbent and washable, Velcro closure	R 28.29
8	CERVICAL COLLAR (SOFT COLLAR) MEDIUM EACH, Length: 48cm, Wide: 9cm, Thickness: 2cm, Medium density foam, Stockinet cover, Absorbent and washable, Velcro closure	R 28.29
66	Shoulder Abduction Sling (Post- Surgical), Comfortable waist cushion for positioning of the arm in 15 degrees abduction position, User-friendly closures, All fabrics are breathable, soft and washable, Shoulder and waist belt can be individually shortened, Positionable thumb loop, Can be used for left and right	R 299.59
130	SEPARATOR TOE (Small), From Poly foam, Must provide protection at tip ends of toes, Can be worn between all (Big or Little) toes	R 39.84
131	SEPARATOR TOE (Medium), From Poly foam, Must provide protection at tip ends of toes, Can be worn between all (Big or Little) toes	R 41.27
132	SEPARATOR TOE (Large), From Poly foam, Must provide protection at tip ends of toes, Can be worn between all (Big or Little) toes	R 42.70
157	LYMPHOEDEMA ARMSLEEVE (Large), Upper diameter: 12.5cm, Lower diameter: 8.5cm, Soft non - restrictive top, Porous, Easy to put on with hand piece, Compression: 25/30 DEN, Grade: 2	R 266.60
158	LYMPHOEDEMA ARMSLEEVE (Medium), Upper diameter: 12cm, Lower diameter: 8cm, Soft non - restrictive top, Porous, Easy to put on with hand piece, Compression: 25/30 DEN, Grade: 2	R 266.60
160	LYMPHOEDEMA ARMSLEEVE (Small), Upper diameter: 10cm, Lower diameter: 6cm, Soft non - restrictive top, Porous, Easy to put on with hand piece, Compression: 25/30 DEN, Grade: 2	R 266.60
164 (e)	AK COMPRESSION STOCKINGS CLASS 3 (OPEN TOES), Size: XX-Large, Compression: 34 - 46mmHG	R 311.81
165 (e)	AK COMPRESSION STOCKINGS CLASS 2 (OPEN TOES), Size: XX-Large, Compression: 23 - 32mmHG	R 314.04
173	STOCKINGS ELASTIC PANTI-HOSE (XXX-LARGE), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mmHG 16/20	R 206.07
174 (a)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, Small	R 170.35
174 (b)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, Medium	R 170.35
174 (c)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, Large	R 170.35
174 (d)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, X-Large	R 170.35
174 (e)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, 2X-Large	R 170.35
174 (f)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, 3X-Large	R 170.35
174 (g)	Ulcer Kit, Inspection opening, Soft end band, Instep heel area, 2 x Silver stockings with ankle pressure 20mmHG, 1 x Beige stocking with ankle pressure 20mmHG, Sizes: 1 -V11, Contain two stockings of silver yarn and one class one stocking, 4X-Large	R 170.35
187	STOCKINGS ELASTIC PANTI-HOSE (MEDIUM), Anatomically formed body section, Soft grip, Breaths well, Comfortable, Reinforced toe and heel, Easy to put on and take off, Compression: mm HG 16/20	R 206.07

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES

PROSTHETIC SUPPLIES CC

PART A: SUNDRIES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
18		,
75	CARBURUNDUM SANDING PAPER, Fast cut resin cloth or equal, Width: 300mm, Grit: 60 (per meter)	R 12.24
75	SURFORM BLADE HALF ROUND, Surform blades with attachment hooks for handles, 250mm long, 40mm wide	R 74.49
77	SURFORM BLADES FLAT WITHOUT HANDLE, Length: 250mm, Weight: 0.035kg	R 69.97
95	PERLON STOCKINETTE, Similar or equal to Otto bock, Width: 120mm, Two-way stretch, Highly elastic, Fine nylon mesh for reinforcement of lamination resin	R 206.91
111	POLYURETHANE LINERS (With outer textile), Sizes: 160mm to 400mm, Without distal connector, STEP WELL PLUS LINER: Tapered shape with an increase thickness in the front, these liners are appropriate for moderately active or active trans-tibial amputees whose bony prominences require special care, Profile: 3mm in the back 6mm in the front	R 4 676.92
170	RIVETS STEEL, 3mm x 25mm, Round Head	R 90.35
174	COPPER RIVETS, 3mm x 25mm, Unit per 100	R 101.92
175	COPPER RIVETS, 4mm x 25mm, Unit per 100	R 181.00
186	TEXAN (INSOLE BOARD), Thickness: 1.5mm, Sheet size: 1000 x 1500mm	R 61.10
195	SOLING GRIZLE DIAMOND, Colour: Smoke, Thickness: 3mm, Sheet size: 914mmx914mm	R 569.45
196 (a)	FEATHER CREPE RUBBER, Thickness: 12mm (PER 1.35m ²), Black, Flexible semi soft rubber	R 601.92
198 (a)	FEATHER CREPE RUBBER, Thickness: 6mm (PER 1.35m ²), Black, Flexible semi soft rubber	R 340.18
199 (a)	DRI FOOT RUBBER, Thickness: 5mm, Black, Shock resistant, Hard strong rubber	R 775.20
201 (a)	TOPY (PER 0.70M ²) - Thickness: 2.5mm, Black, Thin strong flexible rubber material	R 337.44
210	SHOE POLISH, Black and Brown, 200ml	R 52.43
222	WILLOW HIDE LEATHER, Smooth grain (corrected), Brown chrome tanned, In accordance with the latest issue of specification CKS 409, Substance 1.5 - 2.0mm	R 5.65
223	KIP SIDE LEATHER (VEG), Vegetable - tanned, Natural colour, Containing no less than 6% grease, Without any blemishes, In accordance with the latest issue of CKS specification 399, Substance 2.5 - 3.0mm	R 9.94
227	LEATHER PIG SKIN, Units: SQDM	R 3.32
228	LEATHER CODOVAN, Width, Thickness:1.2mm - 2.00mm, SQDM	R 5.64
229	BOX HIDE, Leather upper smooth grain (corrected) Black, In accordance with the latest issue of specification CKS 471, Substance: 1.5 - 2.0mm	R 5.56

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
1	ABOVE KNEE SUSPENSION BELT (LARGE) LEFT/RIGHT, With neoprene F. hip circumf: 76-90cm, Socket brim: 44-48cm	R 600.94
2	ABOVE KNEE SUSPENSION BELT (MEDIUM) LEFT/RIGHT PER ITEM, With neoprene F. hip circumf: 66-80cm, Socket brim: 40-44cm	R 600.94
3	ABOVE KNEE SUSPENSION BELT (X-LARGE) LEFT/RIGHT PER ITEM, With neoprene F. hip circumf: 86-100cm, Socket brim: 48-52cm	R 600.94
4	ABOVE KNEE SUSPENSION BELT (XX-LARGE) LEFT/RIGHT PER ITEM, With neoprene F. hip circumf: 96-110cm, Socket brim: 52-56cm	R 600.94
5	ABOVE KNEE SUSPENSION BELT (SMALL) LEFT/RIGHT PER ITEM, With neoprene F. hip circumf: 60-74cm, Socket brim: 36-40cm	R 600.94

PART B: PROSTHESES

		PRICE (VAT
		INCLUDED)
7	COMETIC SOFT FOAM COVER, FOR AK PROSTHESIS (CHILDREN) LEFT/RIGHT, LENGTH 60CM / HOLE DIAMETER 22-30MM, CALF CIRCUM. 32CM, 30° Knee flexion, Pre-formed calf, Left and	
	right	R 524.67
15	MODULAR FOAM COVER AK (FOR 3R 15 KNEE), Left or Right, Flame resistant, Preshaped, With centre guide, Calf: 36-44cm, Hole diameter: 34cm	R 712.27
16	LAMINATION ANCHOR WITH PYRAMID, ROTATABLE, Lamination dummy to be included, Material: Stainless steel	R 491.57
17	LAMINATION ANCHOR WITH PYRAMID, Lamination dummy to be included, Material: Stainless steel, For lamination into transtibal socket, Max body weight: 100kg	R 269.66
18	MODULAR KNEE JOINT, Polycentric four bar linkage, Height: 30mm (Knee center to upper edge), with adjustable stance control and adjustable friction, Internal extension assist, Pyramid proximal and distall	R 1 581.04
19	MODULAR EXTENSION ASSIST, For 3R 15 Knee	R 270.86
21	MODULAR KNEE JOINT FOR CHILDREN (SINGLE AXIS), With pyramid, For tube clamp diameter: 22mm, With intergrated inner extension assist, Material, aluminium	R 5 979.07
22	HIP JOINT SYSTEM (LEFT AND RIGHT), With lamination plate with built-in lock for the joint extended position, Sitting position, Hip rotation is adjustable, Material: Aluminium	R 3 481.10
23	MODULAR KNEE JOINT FOR KNEE DISARTICULATION, Polycentric "Four Bar Linkage", Flexion: 110 degrees, Weight: 890 gram, Height: 18mm (knee centre to upper edge of anchor), Adjustable extension assit, Removable lamination anchor, Rotation adjustment, Adjustable constant friction,	
	Lower joint section with pyramid, Extension stop bumper	R 2 628.38
24	MODULAR LIGHTWEIGHT SINGLE AXIS KNEE JOINT WITH LOCK, Upper joint section pyramid adapter and lower joint section with tube clamp, Distal connection, Tube clamp diameter: 30mm, Knee Flexion angle: 150 degrees, Plastic knee cap, Weight: 290 grams, System height: 22mm, Material (Aluminum)	R 1 825.82
25 (a)	MODULAR SAFETY KNEE (3R15), Range of knee flexion: 155 degrees, Height 40mm, Weight: 355 gr, Adjustable stance and swing phase control, Upper and lower joint section with pyramid, Swing block, Brake bushing, Extension stop bumper	R 1 565.00
25 (b)	MODULAR SAFETY KNEE (3R93), Range of knee flexion: 155 degrees, Height 40mm, Weight: 355 gr, Adjustable stance and swing phase control, Upper and lower joint section with pyramid, Swing block, Brake bushing, Extension stop bumper	R 1 565.00
27	MODULAR SINGLE AXIS KNEE JOINT FOR LONG ABOVE KNEE STUMPS, Polycentric Four bar Linkage, Flexion: 110 degrees, Weight: 890, Height: 18mm (Knee centre to upper edge of anchor), Adjustable extension assis, Removable adjustment, Adjustable constant friction, Lower joint section with pyramid, Extension stop bumper	R 2 628.38
28	MODULAR SINGLE AXIS KNEE JOINT WITH HYDRAULIC SWING FACE CONTROL, Proximal connection - Pyramid adaptor, Distal connection - Pyramid adaptor, Knee flexion angle: 135 degrees, System height: 62mm	R 9 931.68
30	MODULAR TRANS FEMORAL KIT (aluminium), Long tube with adapter, Socket adapter with pyramid receiver (Rotatable), Tube adapter, Light knee joint monocentric with lock	R 2 796.32
31	MODULAR TUBE WITH ADAPTOR AK, 400mm Long, Aluminium alloy tube 30x5mm, Adapter with adjustable screws	R 294.94
32	TUBE CLAMP ADAPTOR, Stainless Steel, Length: 48mm, Adjustable screws, Clamp screw	R 280.90
34	PUSH VALVE, Green dot valve total contact suction valve, Open and close with two levers that are compressed, Trans femoral amputations	R 197.50
35	DOUBLE PYRAMID ADAPTOR, System height: 30mm, Material: Stainless Steel, Max body weight: 150kg	R 202.25
36	DOUBLE ADAPTOR (FEMALE), System height: 82mm, Material: Titanium, Max body weight: 150kg	R 898.87
37	DOUBLE ADAPTOR (FEMALE), System height: 97mm, Material: Titanium, Max body weight: 150kg	R 898.87

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)			
38	DOUBLE ADAPTOR (FEMALE), System height: 112mm, Material: Titanium, Max body weight: 150kg	R 898.87			
39	SOCKET ATTACHMENT BLOCK, Height: 4.6cm, Weight: 445 Gram, Wood connection diameter: 147mm, Large and Medium, With four countersunk head screws, Lamination Protection, Distal part plastic, proximal wood				
40	SOCKET ADAPTOR FOR FEMALE (CHILDREN), 4 Adjustment set screws, Material aluminium	R 213.48 R 268.86			
41	SOCKET ATTACHMENT BLOCK PLASTIC (CHILDREN), 4 Counter sinks screws with lamination dummy, Length: 80x80cm	R 102.33			
43	TUBE ALUMINIUM FOR CHILDREN, With 4 adjustments set screws, Tube length: 300mm	R 335.07			
44	SOCKET ADAPTOR (CHILDREN), Ears adapter with pyramid s/s 42g, Stainless steel 45g	R 288.92			
45	TUBE CLAMP ADAPTOR ALUMINIUM (CHILDREN), Internal diameter: 22mm, 4 Adjustment set screws	R 317.01			
55	ATTACHMENT BLOCK ADAPTOR, Steel 50x50mm, Height:15mm, Flat spacer plate, Adjustment screws, Adjustable adapter	R 384.83			
58	COSMETIC SOFT FOAM COVER FOR BK PROSTHESIS (CHILDREN), Length: 60cm / Hole diameter: 22-30mm, Calf circum: 22cm	R 198.03			
62	JOINT, HIP, STEEL, MEDIUM, Plate: 70mm x 240mm, With extension assist, Thigh tube, Socket attachment plate, Extension stop shell collar, Double hinged plate	R 2 778.86			
66	MODULAR ADAPTOR, Three prong adaptor with rotation - Female, Material: Stainless steel, Weight:175 grams, Body weight: 100kg	R 505.61			
68	MODULAR SOCKET ADAPTOR, MALE (ROTATION), Stainless steel, Lamination anchors 60mm- 80mm, Height: 25mm, With pyramid, Lamination anchors, With lamination cap	R 505.61			
72	SLIDING ADAPTOR, Height: 76mm, With clamp unit, With 4 adjustable screws 24mm x 1mm, With 2 tensioner screw, Adjustable range plus minus 11mm	R 865.96			
73	MODULAR TUBE WITH ADAPTOR BK, Diameter: 30mm, Stainless steel	R 280.90			
80	NYLON STUMP SOCKS ABOVE KNEE, LENGTH 50F5, 50x26x14cm, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof	R 63.39			
82	NYLON STUMP SOCKS, LENGTH: 60F6, 60x28x16cm, Above knee, Double border, Differentiated in width narrow at tip wider at top, Non-run mesh, Shrink proof	R 63.39			
94	SACH FOOT FOR CHILDREN, SIZE: 20CM, With toes, 10-12mm Heel height, Wood keel with bushing, Enclosed medium heel wedge and sole, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79			
95	SACH FOOT FOR CHILDREN, SIZE: 21CM, With toes, 10-12mm Heel height, Wood keel with bushing, Enclosed medium heel wedge and sole, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79			
96	SACH FOOT FOR CHILDREN, SIZE: 22CM, Without ankle block and bolt, With toes, 10-12mm Heel height, Wood keel with bushing, Enclosed medium heel wedge and sole, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79			
97	SACH FOOT FOR MEN, SIZE: 24CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79			
98	SACH FOOT FOR MEN, SIZE: 23CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79			
99	SACH FOOT FOR MEN, SIZE: 25CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79			

PART B: PROSTHESES

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
100	SACH FOOT FOR MEN, SIZE: 26CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79
101	SACH FOOT FOR MEN, SIZE: 27CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79
102	SACH FOOT FOR MEN, SIZE: 28CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79
103	SACH FOOT FOR MEN, SIZE: 29CM, Without ankle block and bolt, With toes, 18mm Heel height, Wood keel with bushing, Enclosed medium heel wedge, Sole contour: Flat/Convex, Colour: Flesh and Negroid	R 248.79
106	LINER LOCK WITH (LAMINATION ANCHOR), Attachment Kit, Latch pin with button, Lamination post	R 1 530.88
107	LINER LOCK WITH LAMINATION ANCHOR (AK PROSTHESIS), Female adapter, Material: Aluminium	R 1 530.88
118	SINGLE AXES FOOT (ADAPTOR), Planter flexion bumper, Plastic lower joint bushing, Hex nut, two hole plate with washers, plastic bush, Size: 22 - 24	R 491.57
119	SINGLE AXES FOOT (ADAPTOR), Planter flexion bumper, Plastic lower joint bushing, Hex nut, two hole plate with washers, plastic bush, Size: 26 - 30	R 491.57
120	SLIDING ADAPTOR, HEIGHT: 76MM, Height: 76mm, With clamp unit, With 4 adjustable screws: 24mm x 1mm, With 2 tensioner screws, Adjustable range plus minus: 11mm	R 865.96
139	ATTACHMENT PLATE, Diameter: 40mm, Stainless steel, With internal thread M 12 x 1.5, Diameter: 50mm, For connecting system hand to wrist unit	R 606.94
140	ATTACHMENT PLATE, Diameter: 50mm, Stainless steel, With internal thread M 12 x 1.5, Diameter: 50mm, For connecting system hand to wrist unit	R 606.94
141	BALSAR ELBOW WITH FOREARM, ADULT, The length & circumference determine the size, Consisting of plastic forearm, length approx: 280mm, Elbow joint without ratchet, With pull lock, Upper arm rotation joint, Lamination collar, Circumference approx: 245mm	R 3 932.54
179	COSMETIC GLOVE, SIZE: 6 ³ / ₄ CHILD, Left and right, For mechanical hands, Selection of colour shades	R 1 596.69
183	FRICTION WRIST UNIT SIZE: CHILD, Friction wrist, Permits terminal device to be rotated to any position, Friction is easily adjusted by set screw in body of wrist, Friction insert has s/steel lead threads and must be replaceable, Standard ½-20 thread	R 270.86
185	FRICTION WRIST UNIT SIZE: 50MM, Friction wrist unit, Permits terminal device to be rotated to any position, Friction is easily adjusted by set screw in body of wrist, Friction insert has s/steel lead threads and must be replaceable, Standard ½-20 thread	R 270.86
188	SYSTEM, HAND, LEFT AND RIGHT, SIZE: 7 ¹ / ₄ WOMEN, Sizes: 7 ¹ / ₄ - 8, Voluntary opening, Steel cable through the back of the hand, With threaded stud, System inner hand	R 2 601.30
189	SYSTEM, HAND, LEFT AND RIGHT, SIZE: 7 ³ / ₄ MEN, Sizes: 7 ¹ / ₄ - 8, Voluntary opening, Steel cable through the back of the hand, With threaded stud, System inner hand	R 2 601.30

PART C: ORTHOTICS			
ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)	
152	JOINT KNEE STEEL, Size: Large, Barlock, Springloaded, Spring steel / High Tensile steel, Side bar steel width: 19mm, Side bar steel thickness: 5mm, Length upper steel: 430mm, Length lower steel: 650mm, Square edge bar or half round	R 1 290.11	

PART D: BOOTS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
77	TARSO PRONATOR SPREADER BAR, Length: 28cm, Width: 32mm, Thickness: 3mm, Detachable type (clamp on plates), Adjustable with marked degrees	R 413.82

	PART E: WALKING AIDS				
ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)			
14	Crutches, Wooden, Complete, Small, Adjustable from: 91cm to 101cm	R 97.81			
15	Crutches, Wooden, Complete, Medium, Adjustable from: 107cm to 124cm	R 97.81			
16	Crutches, Wooden, Complete, Large, Adjustable from: 125cm to 148cm	R 97.81			

DOH (FS) 05/14/15: SUPPLY AND DELIVERY OF ORTHOTICS AND PROSTHETICS SUPPLIES PRESTA (PTY) LTD PART C: ORTHOTICS

		PRICE
ITEM		(VAT
NUMBER	DESCRIPTION	INCLUDED
191	TOILET SEAT RAISER, Bracket design, Easily fitted to toilet	R 329.00

PART E: WALKING AIDS

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
1	Aluminium Elbow Crutches Adult, Single adjustable, 2 Pin adjustment, Hight from handle to ground: 680mm - 1100mm	R 78.62
2	Elbow Crutches (Peads), Double / Single adjustable, 2 Pin adjustment, Hight from handle to ground: 470mm - 650mm	R 78.52
3	Aluminium Pulpit Walker Folding, Weigth: 1.1kg, Max Height: 930mm, Width: 460mm, Depth: 490mm	R 255.35
4	GUTTER CRUTCHES, Moulded plastic forearm - padded with valcro straps, Adjustable hand grip, Height from handle to ground: 960 - 1130cm, Height adjustable	R 232.73
5	PULPIT WALKER CHILD, Max Height: 530cm, Width: 330, Depth: 270	R 251.31
6	Aluminium Tripod, Aluminium tube, Fitted with moulded handles, Suitable for left and right hand use, Non- slip rubber tips, Height adjustment: 740 - 990mm	R 178.08
7	QUADRUPOD, Adjustment: Single or double spring loaded pins, Min adjustment: 700cm, Max adjustment: 930cm, Tubing: Extruded anonised aluminium tube, Fitted with comfy moulded handles, Suitable for left and right hand use, Non-slip rubber tips	R 207.95
9	RUBBER FERRULES, With steel, Hole diameter: 19mm, Colour: Blue, Black and Grey	R 5.64
10	RUBBER FERRULES, With steel insert washer (Walking Frame), Hole diameter: 22mm, Colour: Blue, Black and Grey	R 5.64
11	WALKING FRAME WITH WHEELS (PAEDS), Tubing: Extruded anonised aluminium tube, Adjustable height: From 50 - 69cm	R 310.85
12	WALKING FRAME WITH WHEELS FOLDING (ADULT), Tubing: Extruded anonised aluminium tube, Adjustable height: From 89 - 100cm	R 310.85
13	ROLLATOR CHILD FOLDING, Chrome two wheel rollator with adjustable height handle, Max height: 700mm, Width: 390, Depth: 490	R 342.21

ITEM NUMBER	DESCRIPTION	PRICE (VAT INCLUDED)
17		INOLODED)
	RUBBER FERRULES (Wooden Under Arm Crutches), Hole diameter: 25mm, Colour: Blue, Black and Grey	R 5.64
18	Under Arm Pads For Wooden Crutches, Small, Fits onto the Under Arm Crutches, Moulded rubber, Size: Small	R 12.84
19	Under Arm Pads For Wooden Crutches, Medium, Fits onto the Under Arm Crutches, Moulded rubber, Size: Medium	R 12.84
20	Under Arm Pads For Wooden Crutches, Large, Fits onto the Under Arm Crutches, Moulded rubber, Size: Large	R 12.84
21	Bent Cane Walking Stick, Lightweight wood with crook handle, Weight: 340g	R 97.84
22	WALKING STICK (ALUMINIUM ADJUSTABLE) Handle: Tee Handle, Tubing: Extruded anonised aluminium tube, Height from handle to ground: 800 - 940cm	R 78.32
23	ANATOMOCAL SOFT GRIP HANDLE FOR CRUTCHES, For Adults, Anatomical form, Soft wearing sensation	R 9.28
24	WALKING STICK (ALUMINIUM ADJUSTABLE OR FOLDING), Colour: Powder coated aluminium	R 128.60

FREE STATE TENDER BULLE	TIN	VRYSTAAT TENDERBULLETIN	
(Published every Friday)		(Verskyn elke Vrydag)	
All correspondence, advertisements, etc. must be addressed to the Officer in charge of the Free State Tender Bulletin, P.O. Box 517, Bloemfontein Tel.: No. 051 403 3139. Free Voucher copies of the Free State Tender Bulletin or cuttings of advertisements are NOT supplied.		Alle korrespondensie, advertensies, ens. Moet aan die Beampte Belas met die Vrystaat Tender Bulletin, Posbus 517, Bloemfontein, geadresseer word. Gratis eksemplare van die Vrystaat Tender Bulletin óf uitknipsels van advertensies word NIE verskaf nie.	
Subscription Rates (payable in adv	ance)	Intekengeld (vooruitbetaalbaar)	
The subscription fee for the Free State Tender E all Extraordinary Free State Tender Bulletins) are Subscription: (Over the Counter / E-Mail)		Die intekengeld vir die Vrystaat Tenderbulletin (insluitend alle Buitengewone Vrystaat Tender Bulletins) is soos volg: Intekengeld: (Oor die Toonbank / E-Pos)	
Price per copy Half-yearly Annually	R 4.70 R 118.00 R 236.00	Prys per eksemplaar Halfjaarliks Jaarliks	R 4.70 R 118.00 R 236.00
Subscription (Post) Price per copy Half-yearly Annually	R 14.00 R 340.00 R 685.00	Intekengeld: (Pos) Prys per eksemplaar Half-yearly Jaarliks	R 14.00 R 340.00 R 685.00
Closing time for acceptance of co	ору	Sluitingstyd vir die Aanname van Ko	opie
Stamps are not accepted		Seëls word nie aanvaar nie	
All advertisement must reach the Officer in Chastate Tender Bulletin not later than 16:00, three prior to the publication of the Bulletin. Advertis after that time will be held over for publication in following week, or if desired by the advertiser, w the current issue as a "Late Advertisement". I advertisement must be delivered to the Office later than 08:00 on the Tuesday preceding the the Bulletin and double rate will be cha advertisement.	ee working days eements received in the issue of the vill be inserted in in such case the er in Charge not he publication of	Alle advertensies moet die Beampte Belas met die Vrystaat Tenderbulletin bereik nie later nie as 16:00, drie werksdae voordat die Bulletin uitgegee word. Advertensies wat na daardie tyd ontvang word, word oorgehou vir publikasie in die uitgawe van die volgende week, of as die adverteerder dit verlang, sal dit in die Bulletin wat op die pers is as 'n "Laat Advertensie" geplaas word. In sulke gevalle moet die advertensie aan die Beampte oorhandig word nie later nie as 08:00 op die Dinsdag van die week voordat die Bulletin gepubliseer word en dubbeltarief sal dié advertensie gevra word.	
A "Late Advertisement" will not be inserted a definite instructions from the advertiser.	as such without	'n "Laat Advertensie" sal nie sonder definitiewe instruksies van die Adverteerder as sodanig geplaas word nie.	
Advertisement Rates		Advertensietariewe	
Notices required by Law to be inserted in the Tender-bulletin: R29.50 per centimetre or portion thereof, single column.		Kennisgewings wat volgens Wet in die Tenderbulletin geplaas moet word: R29.50 per sentimeter of deel daarvan, enkelkolom.	
NUMBERING OF TENDER BULLE	TIN	NOMMERING VAN TENDER BULLE	TIN
You are hereby informed that the numbering of the Provincial Gazette /Tender Bulletin and notice numbers will from 2010 coincide with the relevant financial year. In other words, the chronological numbering starting from one will commence on or after 1 April of every year.		U word hiermee in kennis gestel dat die nommering van die Provinsiale Koerant / Tender Bulletin en kennisgewingnommers vanaf 2010 met die betrokke boekjaar sal ooreenstem. Met ander woorde, die kronologiese nommering beginnende met een, sal op of na 1 April van elke jaar begin.	